

§ 180.41

pre-existing crop group will be removed from the CFR.

(k) Establishment of a tolerance does not substitute for the additional need to register the pesticide under a companion law, the Federal Insecticide, Fungicide, and Rodenticide Act. The Registration Division of the Office of Pesticide Programs should be contacted concerning procedures for registration of new uses of a pesticide.

[60 FR 26635, May 17, 1995, as amended at 70 FR 33363, June 8, 2005; 72 FR 69155, Dec. 7, 2007; 75 FR 56014, Sept. 15, 2010; 81 FR 26476, May 3, 2016; 85 FR 70984, Nov. 6, 2020]

§ 180.41 Crop group tables.

(a) The tables in this section are to be used in conjunction with § 180.40 to establish crop group tolerances.

(b) Commodities not listed are not considered as included in the groups for the purposes of paragraph (b), and individual tolerances must be established.

40 CFR Ch. I (7-1-21 Edition)

Miscellaneous commodities intentionally not included in any group include globe artichoke, hops, peanut, and water chestnut.

(c) Each group is identified by a group name and consists of a list of representative commodities followed by a list of all commodity members for the group. If the group includes subgroups, each subgroup lists the subgroup name, the representative commodity or commodities, and the member commodities for the subgroup. Subgroups, which are a subset of their associated crop group, are established for some but not all crops groups.

(1) *Crop Group 1: Root and Tuber Vegetables Group.*

(i) *Representative commodities.* Carrot, potato, radish, and sugar beet.

(ii) *Table.* The following table 1 lists all the commodities included in Crop Group 1 and identifies the related crop subgroups.

TABLE 1—CROP GROUP 1: ROOT AND TUBER VEGETABLES

Commodities	Related crop subgroups
Arracacha (<i>Arracacia xanthorrhiza</i>)	1C, 1D
Arrowroot (<i>Maranta arundinacea</i>)	1C, 1D
Artichoke, Chinese (<i>Stachys affinis</i>)	1C, 1D
Artichoke, Jerusalem (<i>Helianthus tuberosus</i>)	1C, 1D
Beet, garden (<i>Beta vulgaris</i>)	1A, 1B
Beet, sugar (<i>Beta vulgaris</i>)	1A
Burdock, edible (<i>Arctium lappa</i>)	1A, 1B
Canna, edible (Queensland arrowroot) (<i>Canna indica</i>)	1C, 1D
Carrot (<i>Daucus carota</i>)	1A, 1B
Cassava, bitter and sweet (<i>Manihot esculenta</i>)	1C, 1D
Celeriac (celery root) (<i>Apium graveolens</i> var. <i>rapaceum</i>)	1A, 1B
Chayote (root) (<i>Sechium edule</i>)	1C, 1D
Chervil, turnip-rooted (<i>Chaerophyllum bulbosum</i>)	1A, 1B
Chicory (<i>Cichorium intybus</i>)	1A, 1B
Chufa (<i>Cyperus esculentus</i>)	1C, 1D
Dasheen (taro) (<i>Colocasia esculenta</i>)	1C, 1D
Ginger (<i>Zingiber officinale</i>)	1C, 1D
Ginseng (<i>Panax quinquefolius</i>)	1A, 1B
Horseradish (<i>Armoracia rusticana</i>)	1A, 1B
Leren (<i>Calathea allouia</i>)	1C, 1D
Parsley, turnip-rooted (<i>Petroselinum crispum</i> var. <i>tuberosum</i>)	1A, 1B
Parsnip (<i>Pastinaca sativa</i>)	1A, 1B
Potato (<i>Solanum tuberosum</i>)	1C
Radish (<i>Raphanus sativus</i>)	1A, 1B
Radish, oriental (daikon) (<i>Raphanus sativus</i> subvar. <i>longipinnatus</i>)	1A, 1B
Rutabaga (<i>Brassica campestris</i> var. <i>napobrassica</i>)	1A, 1B
Salsify (oyster plant) (<i>Tragopogon porrifolius</i>)	1A, 1B
Salsify, black (<i>Scorzonera hispanica</i>)	1A, 1B
Salsify, Spanish (<i>Scolymus hispanicus</i>)	1A, 1B
Skirret (<i>Sium sisarum</i>)	1A, 1B
Sweet potato (<i>Ipomoea batatas</i>)	1C, 1D
Tanier (cocoyam) (<i>Xanthosoma sagittifolium</i>)	1C, 1D
Turmeric (<i>Curcuma longa</i>)	1C, 1D
Turnip (<i>Brassica rapa</i> var. <i>rapa</i>)	1A, 1B
Yam bean (jicama, manioc pea) (<i>Pachyrhizus</i> spp.)	1C, 1D
Yam, true (<i>Dioscorea</i> spp.)	1C, 1D

Environmental Protection Agency

§ 180.41

(iii) *Table.* The following table 2 identifies the crop subgroups for Crop Group 1, specifies the representative

commodity(ies) for each subgroup, and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 1 SUBGROUP LISTING

Representative commodities	Commodities
Crop Subgroup 1A. Root vegetables subgroup. Carrot, radish, and sugar beet.	Beet, garden; beet, sugar; burdock, edible; carrot; celeriac; chervil, turnip-rooted; chicory; ginseng; horseradish; parsley, turnip-rooted; parsnip; radish; radish, oriental; rutabaga; salsify; salsify, black; salsify, Spanish; skirret; turnip.
Crop Subgroup 1B. Root vegetables (except sugar beet) subgroup. Carrot and radish.	Beet, garden; burdock, edible; carrot; celeriac; chervil, turnip-rooted; chicory; ginseng; horseradish; parsley, turnip-rooted; parsnip; radish; radish, oriental; rutabaga; salsify; salsify, black; salsify, Spanish; skirret; turnip.
Crop Subgroup 1C. Tuberous and corm vegetables subgroup. Potato.	Arracacha; arrowroot; artichoke, Chinese; artichoke, Jerusalem; canna, edible; cassava, bitter and sweet; chayote (root); chufa; dasheen; ginger; leren; potato; sweet potato; tanier; turmeric; yam bean; yam, true.
Crop Subgroup 1D. Tuberous and corm vegetables (except potato) subgroup. Sweet potato.	Arracacha; arrowroot; artichoke, Chinese; artichoke, Jerusalem; canna, edible; cassava, bitter and sweet; chayote (root); chufa; dasheen; ginger; leren; sweet potato; tanier; turmeric; yam bean; yam, true.

(2) *Crop Group 2.* Leaves of Root and Tuber Vegetables (Human Food or Animal Feed) Group (Human Food or Animal Feed) Group.

(i) *Representative commodities.* Turnip and garden beet or sugar beet.

(ii) *Commodities.* The following is a list of all the commodities included in Crop Group 2:

CROP GROUP 2: LEAVES OF ROOT AND TUBER VEGETABLES (HUMAN FOOD OR ANIMAL FEED) GROUP—COMMODITIES
 Beet, garden (*Beta vulgaris*)
 Beet, sugar (*Beta vulgaris*)
 Burdock, edible (*Arctium lappa*)
 Carrot (*Daucus carota*)
 Cassava, bitter and sweet (*Manihot esculenta*)
 Celeriac (celery root) (*Apium graveolens* var. *rapaceum*)
 Chervil, turnip-rooted (*Chaerophyllum bulbosum*)
 Chicory (*Cichorium intybus*)
 Dasheen (taro) (*Colocasia esculenta*)
 Parsnip (*Pastinaca sativa*)
 Radish (*Raphanus sativus*)
 Radish, oriental (daikon) (*Raphanus sativus* subvar. *longipinnatus*)
 Rutabaga (*Brassica campestris* var. *napobrassica*)
 Salsify, black (*Scorzonera hispanica*)

Sweet potato (*Ipomoea batatas*)
 Tanier (cocoyam) (*Xanthosoma sagittifolium*)
 Turnip (*Brassica rapa* var. *rapa*)
 Yam, true (*Dioscorea* spp.)

(3) *Crop Group 3.* Bulb Vegetables (*Allium* spp.) Group.

(i) *Representative commodities.* Onion, green; and onion, dry bulb.

(ii) *Commodities.* The following is a list of all the commodities in Crop Group 3.

CROP GROUP 3: BULB VEGETABLE (*Allium* spp.) GROUP—COMMODITIES

Garlic, bulb (*Allium sativum*)
 Garlic, great headed, (elephant) (*Allium ampeloprasum* var. *ampeloprasum*)
 Leek (*Allium ampeloprasum*, *A. porrum*, *A. tricoccum*)
 Onion, dry bulb and green (*Allium cepa*, *A. fistulosum*)
 Onion, Welsh, (*Allium fistulosum*)
 Shallot (*Allium cepa* var. *cepa*)

(4) *Crop Group 3-07.* Bulb Vegetable Group.

(i) *Representative Commodities.* Onion, bulb and onion, green.

(ii) *Table.* The following Table 1 lists all the commodities listed in Crop Group 3-07 and identifies the related crop subgroups.

TABLE 1—CROP GROUP 3-07: BULB VEGETABLE GROUP

Commodities	Related crop subgroups
Chive, fresh leaves (<i>Allium schoenoprasum</i> L.)	3-07B
Chive, Chinese, fresh leaves (<i>Allium tuberosum</i> Rottler ex Spreng)	3-07B

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 1—CROP GROUP 3-07: BULB VEGETABLE GROUP—Continued

Commodities	Related crop subgroups
Daylily, bulb (<i>Hemerocallis fulva</i> (L.) L. var. <i>fulva</i>)	3-07A
Elegans hosta (<i>Hosta Sieboldiana</i> (Hook.) Engl)	3-07B
Fritillaria, bulb (<i>Fritillaria L. fritillary</i>)	3-07A
Fritillaria, leaves (<i>Fritillaria L. fritillary</i>)	3-07B
Garlic, bulb (<i>Allium sativum</i> L. var. <i>sativum</i>) (<i>A. sativum</i> Common Garlic Group)	3-07A
Garlic, great headed, bulb (<i>Allium ampeloprasum</i> L. var. <i>ampeloprasum</i>) (<i>A. ampeloprasum</i> Great Headed Garlic Group)	3-07A
Garlic, Serpent, bulb (<i>Allium sativum</i> var. <i>ophioscorodon</i> or <i>A. sativum</i> Ophioscorodon Group)	3-07A
Kurrat (<i>Allium kurrat</i> Schweinf. Ex. K. Krause or <i>A. ampeloprasum</i> Kurrat Group)	3-07B
Lady's leek (<i>Allium cernuum</i> Roth)	3-07B
Leek <i>Allium porrum</i> L. (syn: <i>A. ampeloprasum</i> L. var. <i>porrum</i> (L.) J. Gay) (<i>A.ampeloprasum</i> Leek Group)	3-07B
Leek, wild (<i>Allium tricoccum</i> Aiton)	3-07B
Lily, bulb (<i>Lilium</i> spp. (<i>Lilium Leichtlinii</i> var. <i>maximowiczii</i> , <i>Lilium lancifolium</i>))	3-07A
Onion, Beltsville bunching (<i>Allium x proliferum</i> (Moench) Schrad.) (syn: <i>Allium fistulosum</i> L. x <i>A. cepa</i> L.)	3-07B
Onion, bulb (<i>Allium cepa</i> L. var. <i>cepa</i>) (<i>A. cepa</i> Common Onion Group)	3-07A
Onion, Chinese, bulb (<i>Allium chinense</i> G. Don.) (syn: <i>A. bakeri</i> Regel)	3-07A
Onion, fresh (<i>Allium fistulosum</i> L. var. <i>caespitosum</i> Makino)	3-07B
Onion, green (<i>Allium cepa</i> L. var. <i>cepa</i>) (<i>A. cepa</i> Common Onion Group)	3-07B
Onion, macrostem (<i>Allium macrostemon</i> Bunge)	3-07B
Onion, pearl (<i>Allium porrum</i> var. <i>sectivum</i> or <i>A. ampeloprasum</i> Pearl Onion Group)	3-07A
Onion, potato, bulb (<i>Allium cepa</i> L. var. <i>aggregatum</i> G. Don.) (<i>A. cepa</i> Aggregatum Group)	3-07A
Onion, tree, tops (<i>Allium x proliferum</i> (Moench) Schrad. ex Willd.) (syn: <i>A. cepa</i> var. <i>proliferum</i> (Moench) Regel; <i>A. cepa</i> L. var. <i>bulbiferum</i> L.H. Bailey; <i>A. cepa</i> L. var. <i>viviparum</i> (Metz.) Alef.)	3-07B
Onion, Welsh, tops (<i>Allium fistulosum</i> L.)	3-07B
Shallot, bulb (<i>Allium cepa</i> var. <i>aggregatum</i> G. Don.)	3-07A
Shallot, fresh leaves (<i>Allium cepa</i> var. <i>aggregatum</i> G. Don.)	3-07B
Cultivars, varieties, and/or hybrids of these.	

(iii) *Table.* The following Table 2 identifies the crop subgroups for Crop Group 3-07, specifies the representative commodities for each subgroup and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 3-07: SUBGROUP LISTING

Representative commodities	Commodities
Crop subgroup 3-07A. Onion, bulb, subgroup. Onion, bulb.	Daylily, bulb; fritillaria, bulb; garlic, bulb; garlic, great-headed, bulb; garlic, serpent, bulb; lily, bulb; onion, bulb; onion, Chinese, bulb; onion, pearl; onion, potato, bulb; shallot, bulb; cultivars, varieties, and/or hybrids of these.
Crop subgroup 3-07B. Onion, green, subgroup. Onion, green.	Chive, fresh leaves; chive, Chinese, fresh leaves; elegans hosta; fritillaria, leaves; kurrat; lady's leek; leek; leek, wild; Onion, Beltsville bunching; onion, fresh; onion, green; onion, macrostem; onion, tree, tops; onion, Welsh, tops; shallot, fresh leaves; cultivars, varieties, and/or hybrids of these.

(5) *Crop Group 4.* Leafy Vegetables (Except Brassica Vegetables) Group.

(i) *Representative commodities.* Celery, head lettuce, leaf lettuce, and spinach (*Spinacia oleracea*).

(ii) *Table.* The following table 1 lists all the commodities included in Crop Group 4 and identifies the related crop subgroups.

TABLE 1—CROP GROUP 4: LEAFY VEGETABLES (EXCEPT BRASSICA VEGETABLES) GROUP

Commodities	Related crop subgroups
Amaranth (leafy amaranth, Chinese spinach, tampala) (<i>Amaranthus</i> spp.)	4A
Arugula (Roquette) (<i>Eruca sativa</i>)	4A
Cardoon (<i>Cynara cardunculus</i>)	4B
Celery (<i>Apium graveolens</i> var. <i>dulce</i>)	4B
Celery, Chinese (<i>Apium graveolens</i> var. <i>secalinum</i>)	4B
Celtuce (<i>Lactuca sativa</i> var. <i>angustana</i>)	4B
Chervil (<i>Anthriscus cerefolium</i>)	4A
Chrysanthemum, edible-leaved (<i>Chrysanthemum coronarium</i> var. <i>coronarium</i>)	4A

Environmental Protection Agency
§ 180.41

TABLE 1—CROP GROUP 4: LEAFY VEGETABLES (EXCEPT BRASSICA VEGETABLES) GROUP—Continued

Commodities	Related crop subgroups
Chrysanthemum, garland (<i>Chrysanthemum coronarium</i> var. <i>spatiosum</i>)	4A
Corn salad (<i>Valerianella locusta</i>)	4A
Cress, garden (<i>Lepidium sativum</i>)	4A
Cress, upland (yellow rocket, winter cress) (<i>Barbarea vulgaris</i>)	4A
Dandelion (<i>Taraxacum officinale</i>)	4A
Dock (sorrel) (<i>Rumex</i> spp.)	4A
Endive (escarole) (<i>Cichorium endivia</i>)	4A
Fennel, Florence (finochio) (<i>Foeniculum vulgare Azoricum Group</i>)	4B
Lettuce, head and leaf (<i>Lactuca sativa</i>)	4A
Orach (<i>Atriplex hortensis</i>)	4A
Parsley (<i>Petroselinum crispum</i>)	4A
Purslane, garden (<i>Portulaca oleracea</i>)	4A
Purslane, winter (<i>Montia perfoliata</i>)	4A
Radicchio (red chicory) (<i>Cichorium intybus</i>)	4A
Rhubarb (<i>Rheum rhabarbarum</i>)	4B
Spinach (<i>Spinacia oleracea</i>)	4A
Spinach, New Zealand (<i>Tetragonia tetragonoides</i> , <i>T. expansa</i>)	4A
Spinach, vine (Malabar spinach, Indian spinach) (<i>Basella alba</i>)	4A
Swiss chard (<i>Beta vulgaris</i> var. <i>cicla</i>)	4B

(iii) *Table.* The following table 2 identifies the crop subgroups for Crop Group 4, specifies the representative

commodities for each subgroup, and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 4 SUBGROUP LISTING

Representative commodities	Commodities
Crop Subgroup 4A. Leafy greens subgroup. Head lettuce and leaf lettuce, and spinach (<i>Spinacia oleracea</i>).	Amaranth; arugula; chervil; chrysanthemum, edible-leaved; chrysanthemum, garland; corn salad; cress, garden; cress, upland; dandelion; dock; endive; lettuce; orach; parsley; purslane, garden; purslane, winter; radicchio (red chicory); spinach; spinach, New Zealand; spinach, vine.
Crop Subgroup 4B. Leaf petioles subgroup. Celery.	Cardoon; celery; celery, Chinese; celtuce; fennel, Florence; rhubarb; Swiss chard.

(6) *Crop Group 4–16. Leafy Vegetable Group.*

(i) *Representative commodities.* Head lettuce, leaf lettuce, mustard greens, and spinach.

(ii) *Commodities.* The following Table 1 lists all commodities included in Crop Group 4–16.

TABLE 1—CROP GROUP 4–16: LEAFY VEGETABLE GROUP

Commodities	Related crop sub-groups
Amaranth, Chinese (<i>Amaranthus tricolor</i> L.)	4–16A
Amaranth, leafy (<i>Amaranthus</i> spp.)	4–16A
Arugula (<i>Eruca sativa</i> Mill.)	4–16B
Aster, Indian (<i>Kalimeris indica</i> (L.) Sch. Bip.)	4–16A
Blackjack (<i>Bidens pilosa</i> L.)	4–16A
Broccoli, Chinese (<i>Brassica oleracea</i> var. <i>alboglabra</i> (L.H. Bailey) Musil)	4–16B
Broccoli raab (<i>Brassica ruvo</i> L.H. Bailey)	4–16B
Cabbage, abyssinian (<i>Brassica carinata</i> A. Braun)	4–16B
Cabbage, Chinese, bok choy (<i>Brassica rapa</i> subsp. <i>chinensis</i> (L.) Hanelt)	4–16B
Cabbage, seekale (<i>Brassica oleracea</i> L. var. <i>costata</i> DC.)	4–16B
Cat's whiskers (<i>Cleome gynandra</i> L.)	4–16A
Cham-chwi (<i>Doellingeria scabra</i> (Thunb.) Nees)	4–16A
Cham-na-mul (<i>Pimpinella calycina</i> Maxim)	4–16A
Chervil, fresh leaves (<i>Anthriscus cerefolium</i> (L.) Hoffm.)	4–16A
Chipilin (<i>Crotalaria longirostrata</i> Hook & Arn)	4–16A

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 1—CROP GROUP 4–16: LEAFY VEGETABLE GROUP—Continued

Commodities	Related crop sub-groups
Chrysanthemum, garland (<i>Glebionis coronaria</i> (L.) Cass. ex Spach. <i>Glebionis</i> spp.)	4-16A
Cilantro, fresh leaves (<i>Coriandrum sativum</i> L.)	4-16A
Collards (<i>Brassica oleracea</i> L. var. <i>viridis</i> L.)	4-16B
Corn salad (<i>Valerianella</i> spp.)	4-16A
Cosmos (<i>Cosmos caudatus</i> Kunth)	4-16A
Cress, garden (<i>Lepidium sativum</i> L.)	4-16B
Cress, upland (<i>Barbara vulgaris</i> W.T. Aiton)	4-16B
Dandelion, leaves (<i>Taraxacum officinale</i> F.H. Wigg. Aggr.)	4-16A
Dang-gwi, leaves (<i>Angelica gigas</i> Nakai)	4-16A
Dillweed (<i>Anethum graveolens</i> L.)	4-16A
Dock (<i>Rumex patientia</i> L.)	4-16A
Dol-nam-mul (<i>Sedum sarmentosum</i> Bunge)	4-16A
Ebolo (<i>Crassocephalum crepidioides</i> (Benth.) S. Moore)	4-16A
Endive (<i>Cichorium endivia</i> L.)	4-16A
Escarole (<i>Cichorium endivia</i> L.)	4-16A
Fameflower (<i>Talinum fruticosum</i> (L.) Juss.)	4-16A
Feather cockscomb (<i>Glinus oppositifolius</i> (L.) Aug. DC.)	4-16A
Good King Henry (<i>Chenopodium bonus-henricus</i> L.)	4-16A
Hanover salad (<i>Brassica napus</i> var. <i>pabularia</i> (DC.) Rchb.)	4-16B
Huauzontle (<i>Chenopodium berlandieri</i> Moq.)	4-16A
Jute, leaves (<i>Corchorus</i> spp.)	4-16A
Kale (<i>Brassica oleracea</i> L. var. <i>Sabellica</i> L.)	4-16B
Lettuce, bitter (<i>Launaea cornuta</i> (Hochst. ex Oliv. & Hiern) C. Jeffrey)	4-16A
Lettuce, head (<i>Lactuca sativa</i> L.; including <i>Lactuca sativa</i> var. <i>capitata</i> L.)	4-16A
Lettuce, leaf (<i>Lactuca sativa</i> L.; including <i>Lactuca sativa</i> var. <i>longifolia</i> Lam.; <i>Lactuca sativa</i> var. <i>crispula</i> L.)	4-16A
Maca, leaves (<i>Lepidium meyenii</i> Walp.)	4-16B
Mizuna (<i>Brassica rapa</i> L. subsp. <i>nipposinica</i> (L.H. Bailey) Hanelt)	4-16B
Mustard greens (<i>Brassica juncea</i> subsp., including <i>Brassica juncea</i> (L.) Czern. subsp. <i>integerrima</i> (H. West) Thell., <i>Brassica juncea</i> (L.) Czern. var. <i>tsatsai</i> (T.L. Mao) Gladis)	4-16B
Orach (<i>Atriplex hortensis</i> L.)	4-16A
Parsley, fresh leaves (<i>Petroselinum crispum</i> (Mill.) Fuss; <i>Petroselinum crispum</i> var. <i>neapolitanum</i> Danert)	4-16A
Plantain, buckthorn (<i>Plantago lanceolata</i> L.)	4-16A
Primrose, English (<i>Primula vulgaris</i> Huds.)	4-16A
Purslane, garden (<i>Portulaca oleracea</i> L.)	4-16A
Purslane, winter (<i>Claytonia perfoliata</i> Donn ex Willd.)	4-16A
Radicchio (<i>Cichorium intybus</i> L.)	4-16A
Radish, leaves (<i>Raphanus sativus</i> L. var. <i>sativus</i> , including <i>Raphanus sativus</i> L. var. <i>mouieri</i> H. W. J. Helm (<i>Raphanus sativus</i> L. var. <i>oleiformis</i> Pers))	4-16B
Rape greens (<i>Brassica napus</i> L. var. <i>napus</i> , including <i>Brassica rapa</i> subsp. <i>trilocularis</i> (Roxb.) Hanelt; <i>Brassica rapa</i> subsp. <i>dichotoma</i> (Roxb.) Hanelt; <i>Brassica rapa</i> subsp. <i>oleifera</i> Met.)	4-16B
Rocket, wild (<i>Diplotaxis tenuifolia</i> (L.) DC.)	4-16B
Shepherd's purse (<i>Capsella bursa-pastoris</i> (L.) Medik)	4-16B
Spinach (<i>Spinacia oleracea</i> L.)	4-16A
Spinach, Malabar (<i>Basella alba</i> L.)	4-16A
Spinach, New Zealand (<i>Tetragonia tetragonoides</i> (Pall.) Kuntze)	4-16A
Spinach, tanier (<i>Xanthosoma brasiliense</i> (Desf.) Engl.)	4-16A
Swiss chard (<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i>)	4-16A
Turnip greens (<i>Brassica rapa</i> L. ssp. <i>rapa</i>)	4-16B
Violet, Chinese, leaves (<i>Asystasia gangetica</i> (L.) T. Anderson)	4-16A
Watercress (<i>Nasturtium officinale</i> W.T. Aiton)	4-16B
Cultivars, varieties, and hybrids of these commodities.	

(iii) *Crop subgroups.* The following Table 2 identifies the crop subgroups for Crop Group 4–16, specifies the rep-

resentative commodities for each subgroup, and lists all the commodities included in each subgroup.

Environmental Protection Agency
§ 180.41

TABLE 2—CROP GROUP 4–16: SUBGROUP LISTING

Representative commodities	Commodities
Crop Subgroup 4–16A. Leafy greens subgroup	
Head lettuce, leaf lettuce, and spinach	Amaranth, Chinese; amaranth, leafy; aster, Indian; blackjack; cat's whiskers; cham-chwi; cham-na-mul; chervil, fresh leaves; chipilin; chrysanthemum, garland; cilantro, fresh leaves; corn salad; cosmos; dandelion, leaves; dang-gwi, leaves; dillweed; dock; dol-nam-mul; ebolo; endive; escarole; fameflower; feather cockscomb; Good King Henry; huauzontle; jute, leaves; lettuce, bitter; lettuce, head; lettuce, leaf; orach; parsley, fresh leaves; plantain, buckhorn; primrose, English; purslane, garden; purslane, winter; radicchio; spinach; spinach, Malabar; spinach, New Zealand; spinach, tanier; Swiss chard; violet, Chinese, leaves; cultivars, varieties, and hybrids of these commodities.
Crop Subgroup 4–16B. <i>Brassica</i> leafy greens subgroup	
Mustard greens	Arugula; broccoli, Chinese; broccoli raab; cabbage, abyssinian; cabbage, Chinese, bok choy; cabbage, seakale; collards; cress, garden; cress, upland; hanover salad; kale; maca, leaves; mizuna; mustard greens; radish, leaves; rape greens; rocket, wild; shepherd's purse; turnip greens; watercress; cultivars, varieties, and hybrids of these commodities.

(7) *Crop Group 5. Brassica (Cole) Leafy Vegetables Group.*

(i) *Representative commodities.* Broccoli or cauliflower; cabbage; and mustard greens.

(ii) *Table.* The following table 1 lists all the commodities included in Crop Group 5 and identifies the related crop subgroups.

 TABLE 1—CROP GROUP 5: *Brassica* (COLE) LEAFY VEGETABLES

Commodities	Related crop subgroup
Broccoli (<i>Brassica oleracea</i> var. <i>botrytis</i>)	5A
Broccoli, Chinese (gai lon) (<i>Brassica alboglabra</i>)	5A
Broccoli raab (rapini) (<i>Brassica campestris</i>)	5B
Brussels sprouts (<i>Brassica oleracea</i> var. <i>gemmifera</i>)	5A
Cabbage (<i>Brassica oleracea</i>)	5A
Cabbage, Chinese (bok choy) (<i>Brassica chinensis</i>)	5B
Cabbage, Chinese (napa) (<i>Brassica pekinensis</i>)	5A
Cabbage, Chinese mustard (gal choy) (<i>Brassica campestris</i>)	5A
Cauliflower (<i>Brassica oleracea</i> var. <i>botrytis</i>)	5A
Cavalo broccolo (<i>Brassica oleracea</i> var. <i>botrytis</i>)	5A
Collards (<i>Brassica oleracea</i> var. <i>acephala</i>)	5B
Kale (<i>Brassica oleracea</i> var. <i>acephala</i>)	5B
Kohlrabi (<i>Brassica oleracea</i> var. <i>gongylodes</i>)	5A
Mizuna (<i>Brassica rapa</i> Japonica Group)	5B
Mustard greens (<i>Brassica juncea</i>)	5B
Mustard spinach (<i>Brassica rapa</i> Perviridis Group)	5B
Rape greens (<i>Brassica napus</i>)	5B

(iii) *Table.* The following table 2 identifies the crop subgroups for Crop Group 5, specifies the representative

commodity(ies) for each subgroup, and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 5 SUBGROUP LISTING

Representative commodities	Commodities
Crop Subgroup 5A. Head and stem <i>Brassica</i> subgroup	
Broccoli or cauliflower; and cabbage	Broccoli; broccoli, Chinese; brussels sprouts; cabbage; cabbage, Chinese (napa); cabbage, Chinese mustard; cauliflower; cavalo broccolo; kohlrabi

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 2—CROP GROUP 5 SUBGROUP LISTING—Continued

Representative commodities	Commodities
Crop Subgroup 5B. Leafy <i>Brassica</i> greens subgroup.	
Mustard greens	Broccoli raab; cabbage, Chinese (bok choy); collards; kale; mizuna; mustard greens; mustard spinach; rape greens

(8) *Crop Group 5–16. Brassica Head and Stem Vegetable Group.*

(i) *Representative commodities.* Broccoli or cauliflower and cabbage.

(ii) *Commodities.* The following List 1 contains all commodities included in Crop Group 5–16.

LIST 1—CROP GROUP 5–16: BRASSICA HEAD AND STEM VEGETABLE GROUP

Commodities
Broccoli (<i>Brassica oleracea</i> L. var. <i>italica</i> Plenck)
Brussels sprouts (<i>Brassica oleracea</i> L. var. <i>gemmifera</i> (DC.) Zenker)
Cabbage (<i>Brassica oleracea</i> L. var. <i>capitata</i> L.)
Cabbage, Chinese, napa (<i>Brassica rapa</i> L. subsp. <i>pekinensis</i> (Lour.) Hanell)

LIST 1—CROP GROUP 5–16: BRASSICA HEAD AND STEM VEGETABLE GROUP—Continued

Commodities
Cauliflower (<i>Brassica oleracea</i> L. var. <i>capitata</i> L) Cultivars, varieties, and hybrids of these commodities.

(9) *Crop Group 6. Legume Vegetables (Succulent or Dried) Group.*

(i) *Representative commodities.* Bean (*Phaseolus* spp.; one succulent cultivar and one dried cultivar); pea (*Pisum* spp.; one succulent cultivar and one dried cultivar); and soybean.

(ii) *Table.* The following table 1 lists all the commodities included in Crop Group 6 and identifies the related crop subgroups.

TABLE 1—CROP GROUP 6: LEGUME VEGETABLES (SUCCULENT OR DRIED)

Commodities	Related crop subgroups
Bean (<i>Lupinus</i> spp.) (includes grain lupin, sweet lupin, white lupin, and white sweet lupin)	6C
Bean (<i>Phaseolus</i> spp.) (includes field bean, kidney bean, lima bean, navy bean, pinto bean, runner bean, snap bean, tepary bean, wax bean)	6A, 6B, 6C
Bean (<i>Vigna</i> spp.) (includes adzuki bean, asparagus bean, blackeyed pea, catjang, Chinese longbean, cowpea, Crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean, yardlong bean)	6A, 6B, 6C
Broad bean (fava bean) (<i>Vicia faba</i>)	6B, 6C
Chickpea (garbanzo bean) (<i>Cicer arietinum</i>)	6C
Guar (<i>Cyamopsis tetragonoloba</i>)	6C
Jackbean (<i>Canavalia ensiformis</i>)	6A
Lablab bean (hyacinth bean) (<i>Lablab purpureus</i>)	6C
Lentil (<i>Lens esculenta</i>)	6C
Pea (<i>Pisum</i> spp.) (includes dwarf pea, edible-pod pea, English pea, field pea, garden pea, green pea, snow pea, sugar snap pea)	6A, 6B, 6C
Pigeon pea (<i>Cajanus cajan</i>)	6A, 6B, 6C
Soybean (<i>Glycine max</i>)	N/A
Soybean (immature seed) (<i>Glycine max</i>)	6A
Sword bean (<i>Canavalia gladiata</i>)	6A

(iii) *Table.* The following table 2 identifies the crop subgroups for Crop Group 6, specifies the representative

commodities for each subgroup, and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 6 SUBGROUP LISTING

Representative commodities	Commodities
Crop Subgroup 6A. Edible-podded legume vegetables subgroup.	
Any one succulent cultivar of edible-podded bean (<i>Phaseolus</i> spp.) and any one succulent cultivar of edible-podded pea (<i>Pisum</i> spp.).	Bean (<i>Phaseolus</i> spp.) (includes runner bean, snap bean, wax bean); bean (<i>Vigna</i> spp.) (includes asparagus bean, Chinese longbean, moth bean, yardlong bean); jackbean; pea (<i>Pisum</i> spp.) (includes dwarf pea, edible-pod pea, snow pea, sugar snap pea); pigeon pea; soybean (immature seed); sword bean.

Environmental Protection Agency
§ 180.41
TABLE 2—CROP GROUP 6 SUBGROUP LISTING—Continued

Representative commodities	Commodities
Crop Subgroup 6B. Succulent shelled pea and bean subgroup. Any succulent shelled cultivar of bean (<i>Phaseolus</i> spp.) and garden pea (<i>Pisum</i> spp.).	Bean (<i>Phaseolus</i> spp.) (includes lima bean (green)); broad bean (succulent); bean (<i>Vigna</i> spp.) (includes blackeyed pea, cowpea, southern pea); pea (<i>Pisum</i> spp.) (includes English pea, garden pea, green pea); pigeon pea.
Crop Subgroup 6C. Dried shelled pea and bean (except soybean) subgroup Any one dried cultivar of bean (<i>Phaseolus</i> spp.); and any one dried cultivar of pea (<i>Pisum</i> spp.).	Dried cultivars of bean (<i>Lupinus</i> spp.) (includes grain lupin, sweet lupin, white lupin, and white sweet lupin); (<i>Phaseolus</i> spp.) (includes field bean, kidney bean, lima bean (dry), navy bean, pinto bean; tepary bean; bean (<i>Vigna</i> spp.) (includes adzuki bean, blackeyed pea, catjang, cowpea, Crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean); broad bean (dry); chickpea; guar; lablab bean; lentil; pea (<i>Pisum</i> spp.) (includes field pea); pigeon pea.

(10) *Crop Group 7. Foliage of Legume Vegetables Group.*

(i) *Representative commodities.* Any cultivar of bean (*Phaseolus* spp.), field pea (*Pisum* spp.), and soybean.

(ii) *Table.* The following table 1 lists the commodities included in Crop Group 7.

TABLE 1—CROP GROUP 7: FOLIAGE OF LEGUME VEGETABLES GROUP

Representative commodities	Commodities
Any cultivar of bean (<i>Phaseolus</i> spp.) and field pea (<i>Pisum</i> spp.), and soybean (<i>Glycine max</i>).	Plant parts of any legume vegetable included in the legume vegetables that will be used as animal feed.

(iii) *Table.* The following table 2 identifies the crop subgroup for Crop Group 7 and specifies the representative com-

modities for the subgroup, and lists all the commodities included in the subgroup.

TABLE 2—CROP GROUP 7 SUBGROUP LISTING

Representative commodities	Commodities
Crop Subgroup 7A. Foliage of legume vegetables (except soybeans) subgroup Any cultivar of bean (<i>Phaseolus</i> spp.), and field pea (<i>Pisum</i> spp.).	Plant parts of any legume vegetable (except soybeans) included in the legume vegetables group that will be used as animal feed.

(11) *Crop Group 8. Fruiting Vegetables Group.*

(i) *Representative commodities.* Tomato, bell pepper, and one cultivar of non-bell pepper.

(ii) *Commodities.* The following is a list of all the commodities included in Crop Group 8:

CROP GROUP 8: FRUITING VEGETABLES (EXCEPT CUCURBITS)—COMMODITIES

Eggplant (*Solanum melongena*)
Groundcherry (*Physalis* spp.)
Pepino (*Solanum muricatum*)

Pepper (*Capsicum* spp.) (includes bell pepper, chili pepper, cooking pepper, pimento, sweet pepper)

Tomatillo (*Physalis ixocarpa*)

Tomato (*Lycopersicon esculentum*)

(12) *Crop Group 8–10. Fruiting Vegetable Group.*

(i) *Representative commodities.* Tomato, standard size, and one cultivar of small tomato; bell pepper and one cultivar of small nonbell pepper.

(ii) *Commodities.* The following is a list of all commodities included in the Crop group 8–10.

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 1—CROP GROUP 8–10: FRUITING VEGETABLE GROUP

Commodities	Related crop sub-groups
African eggplant, <i>Solanum macrocarpon</i> L	8–10B, 8–10C
Bush tomato, <i>Solanum centrale</i> J.M. Black	8–10A
Cocona, <i>Solanum sessiliflorum</i> Dunal	8–10A
Currant tomato, <i>Lycopersicon pimpinellifolium</i> L	8–10A
Eggplant, <i>Solanum melongena</i> L	8–10B, 8–10C
Garden huckleberry, <i>Solanum scabrum</i> Mill	8–10A
Goji berry, <i>Lycium barbarum</i> L	8–10A
Groundcherry, <i>Physalis alkekengi</i> L., <i>P. grisea</i> (Waterf.) M. Martinez, <i>P. peruviana</i> L., <i>P. pubescens</i> L ..	8–10A
Martynia, <i>Proboscidea louisianica</i> (Mill.) Thell	8–10B, 8–10C
Naranjilla, <i>Solanum quitoense</i> Lam	8–10A
Okra, <i>Abelmoschus esculentus</i> (L.) Moench	8–10B, 8–10C
Pea eggplant, <i>Solanum torvum</i> Sw	8–10B, 8–10C
Pepino, <i>Solanum muricatum</i> Aiton	8–10B, 8–10C
Pepper, bell, <i>Capsicum annuum</i> L. var. <i>annuum</i> , <i>Capsicum</i> spp	8–10B
Pepper, nonbell, <i>Capsicum chinense</i> Jacq., <i>C. annuum</i> L. var. <i>annuum</i> , <i>C. frutescens</i> L., <i>C. baccatum</i> L., <i>C. pubescens</i> Ruiz & Pav., <i>Capsicum</i> spp.	8–10B, 8–10C
Roselle, <i>Hibiscus sabdariffa</i> L	8–10B, 8–10C
Scarlet eggplant, <i>Solanum aethiopicum</i> L	8–10B, 8–10C
Sunberry, <i>Solanum retroflexum</i> Dunal	8–10A
Tomatillo, <i>Physalis philadelphica</i> Lam	8–10A
Tomato, <i>Solanum lycopersicum</i> L., <i>Solanum lycopersicum</i> L. var. <i>lycopersicum</i>	8–10A
Tree tomato, <i>Solanum betaceum</i> Cav	8–10A
Cultivars, varieties and/or hybrids of these	8–10A

(iii) *Table.* The following Table 2 identifies the crop subgroups for Crop Group 8–10, specifies the representative

commodities for each subgroup and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 8–10. SUBGROUP LISTING

Representative commodities	Commodities
Crop subgroup 8–10A. Tomato subgroup Tomato, standard size, and one cultivar of small tomato	Bush tomato; cocona; currant tomato; garden huckleberry; goji berry; groundcherry; naranjilla; sunberry; tomatillo; tomato; tree tomato; cultivars, varieties, and/or hybrids of these.
Crop subgroup 8–10B. Pepper/Eggplant subgroup Bell pepper and one cultivar of small nonbell pepper	African eggplant; bell pepper; eggplant; Martynia; nonbell pepper; okra; pea eggplant; pepino; roselle; scarlet eggplant; cultivars, varieties, and/or hybrids of these.
Crop subgroup 8–10C. Nonbell pepper/Eggplant subgroup One cultivar of small nonbell pepper or one cultivar of small eggplant.	African eggplant; eggplant; martynia; nonbell pepper; okra; pea eggplant; pepino; roselle; scarlet eggplant; cultivars, varieties, and/or hybrids of these.

(18) *Crop Group 9. Cucurbit Vegetables Group.*

(i) *Representative commodities.* Cucumber, muskmelon, and summer squash.

(ii) *Table.* The following table 1 lists all the commodities included in Crop Group 9 and identifies the related subgroups.

TABLE 1—CROP GROUP 9: CUCURBIT VEGETABLES

Commodities	Related crop subgroups
Chayote (fruit) (<i>Sechium edule</i>)	9B
Chinese waxgourd (Chinese preserving melon) (<i>Benincasa hispida</i>)	9B
Citron melon (<i>Citrullus lanatus</i> var. <i>citroides</i>)	9A
Cucumber (<i>Cucumis sativus</i>)	9B
Gherkin (<i>Cucumis anguria</i>)	9B
Gourd, edible (<i>Lagenaria</i> spp.) (includes hyotan, cucuzza); (<i>Luffa acutangula</i> , <i>L. cylindrica</i>) (includes hechima, Chinese okra)	9B
<i>Momordica</i> spp. (includes balsam apple, balsam pear, bitter melon, Chinese cucumber)	9B

Environmental Protection Agency
§ 180.41
TABLE 1—CROP GROUP 9: CUCURBIT VEGETABLES—Continued

Commodities	Related crop subgroups
Muskmelon (hybrids and/or cultivars of <i>Cucumis melo</i>) (includes true cantaloupe, cantaloupe, casaba, crenshaw melon, golden pershaw melon, honeydew melon, honey balls, mango melon, Persian melon, pine-apple melon, Santa Claus melon, and snake melon)	9A 9B
Pumpkin (<i>Cucurbita</i> spp.)	9B
Squash, summer (<i>Cucurbita pepo</i> var. <i>meloepo</i>) (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow, zucchini)	9B
Squash, winter (<i>Cucurbita maxima</i> ; <i>C. moschata</i>) (includes butternut squash, calabaza, hubbard squash); (<i>C. mixta</i> ; <i>C. pepo</i>) (includes acorn squash, spaghetti squash)	9B
Watermelon (includes hybrids and/or varieties of <i>Citrullus lanatus</i>)	9A

(iii) *Table.* The following table 2 identifies the crop subgroups for Crop Group 9, specifies the representative

commodities for each subgroup, and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 9 SUBGROUP LISTING

Representative commodities	Commodities
Crop Subgroup 9A. Melon subgroup Cantaloupes	Citron melon; muskmelon; watermelon
Crop Subgroup 9B. Squash/cucumber subgroup One cultivar of summer squash and cucumber.	Chayote (fruit); Chinese waxgourd; cucumber; gherkin; gourd, edible; <i>Momordica</i> spp.; pumpkin; squash, summer; squash, winter.

(14) *Crop Group 10. Citrus Fruit Group.*

(i) *Representative commodities.* Sweet orange; lemon and grapefruit.

(ii) *Commodities.* The following is a list of all the commodities in Crop Group 10:

CROP GROUP 10: CITRUS FRUITS (CITRUS SPP., FORTUNELLA SPP.) GROUP—COMMODITIES

Calamondin (*Citrus mitis* × *Citrofortunella mitis*)
Citrus citron (*Citrus medica*)
Citrus hybrids (*Citrus* spp.) (includes chironja, tangelo, tangor)
Grapefruit (*Citrus paradisi*)

Kumquat (*Fortunella* spp.)
Lemon (*Citrus jambhiri*, *Citrus limon*)
Lime (*Citrus aurantiifolia*)
Mandarin (tangerine) (*Citrus reticulata*)
Orange, sour (*Citrus aurantium*)
Orange, sweet (*Citrus sinensis*)
Pummelo (*Citrus grandis*, *Citrus maxima*)
Satsuma mandarin (*Citrus unshiu*)

(15) *Crop Group 10–10. Citrus Fruit Group.*

(i) *Representative commodities.* Orange or Tangerine/Mandarin, Lemon or Lime, and Grapefruit.

(ii) *Commodities.* The following is a list of all the commodities in Crop Group 10–10.

TABLE 1—CROP GROUP 10–10: CITRUS FRUIT GROUP

Commodities	Related crop sub-groups
Australian desert lime, <i>Eremocitrus glauca</i> (Lindl.) Swingle	10–10B
Australian finger lime, <i>Microcitrus australasica</i> (F. Muell.) Swingle	10–10B
Australian round lime, <i>Microcitrus australis</i> (A. Cunn. Ex Mudie) Swingle	10–10B
Brown River finger lime, <i>Microcitrus papuana</i> Winters	10–10B
Calamondin, <i>Citrofortunella microcarpa</i> (Bunge) Wijnands	10–10A
Citron, <i>Citrus medica</i> L	10–10A
Citrus hybrids, <i>Citrus</i> spp. <i>Eremocitrus</i> spp., <i>Fortunella</i> spp., <i>Microcitrus</i> spp., and <i>Poncirus</i> spp	10–10A
Grapefruit, <i>Citrus paradisi</i> Macfad	10–10C
Japanese summer grapefruit, <i>Citrus natsudaidai</i> Hayata	10–10C
Kumquat, <i>Fortunella</i> spp	10–10B
Lemon, <i>Citrus limon</i> (L.) Burm. f	10–10B
Lime, <i>Citrus aurantiifolia</i> (Christm.) Swingle	10–10B
Mediterranean mandarin, <i>Citrus deliciosa</i> Ten	10–10A
Mount White lime, <i>Microcitrus garrowayae</i> (F.M. Bailey) Swingle	10–10B
New Guinea wild lime, <i>Microcitrus warburgiana</i> (F.M. Bailey) Tanaka	10–10B

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 1—CROP GROUP 10–10: CITRUS FRUIT GROUP—Continued

Commodities	Related crop sub-groups
Orange, sour, <i>Citrus aurantium</i> L	10–10A
Orange, sweet, <i>Citrus sinensis</i> (L.) Osbeck	10–10A
Pummelo, <i>Citrus maxima</i> (Burm.) Merr	10–10C
Russell River lime, <i>Microcitrus iodora</i> (F.M. Bailey) Swingle	10–10B
Satsuma mandarin, <i>Citrus unshiu</i> Marcow	10–10A
Sweet lime, <i>Citrus limetta</i> Riss	10–10B
Tachibana orange, <i>Citrus tachibana</i> (Makino) Tanaka	10–10A
Tahiti lime, <i>Citrus latifolia</i> (Yu. Tanaka) Tanaka	10–10B
Tangelo, <i>Citrus xtangelo</i> J.W. Ingram & H.E. Moore	10–10A, 10–10C
Tangerine (Mandarin), <i>Citrus reticulata</i> Blanco	10–10A
Tangor, <i>Citrus nobilis</i> Lou	10–10A
Trifoliolate orange, <i>Poncirus trifoliata</i> (L.) Raf	10–10A
Uniq fruit, <i>Citrus aurantium</i> Tangelo group	10–10C
Cultivars, varieties and/or hybrids of these.	

(iii) *Table.* The following Table 2 identifies the crop subgroups for Crop Group 10–10, specifies the representative commodities for each subgroup and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 10–10: SUBGROUP LISTING

Representative commodities	Commodities
Crop Subgroup 10–10A. Orange subgroup Orange or tangerine/mandarin	Calamondin; citron; citrus hybrids; mediterranean mandarin; orange; sour; orange, sweet; satsuma mandarin; tachibana orange; tangerine (mandarin); tangelo; tangor; trifoliolate orange; cultivars, varieties, and/or hybrids of these.
Crop Subgroup 10–10B. Lemon/Lime subgroup Lemon or lime	Australian desert lime; Australian finger lime; Australian round lime; brown river finger lime; kumquat; lemon; lime; mount white lime; New Guinea wild lime; Russell River lime; sweet lime; Tahiti lime; cultivars , varieties, and/or hybrids of these.
Crop Subgroup 10–10C. Grapefruit subgroup Grapefruit	Grapefruit; Japanese summer grapefruit; pummelo; tangelo; uniq fruit; cultivars, varieties, and/or hybrids of these.

(16) *Crop Group 11: Pome Fruits Group.*

(i) *Representative commodities.* Apple and pear.

(ii) *Commodities.* The following is a list of all the commodities included in Crop Group 11:

CROP GROUP 11: POME FRUITS GROUP—
COMMODITIES

Apple (*Malus domestica*)
Crabapple (*Malus* spp.)
Loquat (*Eriobotrya japonica*)
Mayhaw (*Crataegus aestivalis*, *C. opaca*, and *C. rufula*)
Pear (*Pyrus communis*)
Pear, oriental (*Pyrus pyrifolia*)
Quince (*Cydonia oblonga*)

(17) *Crop group 11–10. Pome Fruit Group.*

(i) *Representative commodities. Apple and Pear*

(ii) *Commodities.* The following is a list of all the commodities in Crop Group 11–10.

CROP GROUP 11–10: POME FRUIT GROUP—
COMMODITIES

Apple, *Malus domestica* Borkh.
Azarole, *Crataegus azarolus* L.
Crabapple, *Malus sylvestris* (L.) Mill., *M. prunifolia* (Willd.) Borkh.
Loquat, *Eriobotrya japonica* (Thunb.) Lindl.
Mayhaw, *Crataegus aestivalis* (Walter) Torr. & A. Gray, *C. opaca*
Hook. & Arn., and *C. rufula* Sarg.
Medlar, *Mespilus germanica* L.
Pear, *Pyrus communis* L.
Pear, Asian, *Pyrus pyrifolia* (Burm. f.) Nakai var. *culta* (Makino) Nakai
Pseudocydonia sinensis (Thouin) C.K. Schneid.
Quince, *Cydonia oblonga* Mill.
Quince, Chinese, *Chaenomeles speciosa* (Sweet) Nakai,
Quince, Japanese, *Chaenomeles japonica* (Thunb.) Lindl. ex Spach

Environmental Protection Agency

§ 180.41

Tejocote, *Crataegus mexicana* DC.
Cultivars, varieties and/or hybrids of these.

(18) *Crop Group 12.* Stone Fruits Group.

(i) *Representative commodities.* Sweet cherry or tart cherry; peach; and plum or fresh prune (*Prunus domestica*, *Prunus* spp.)

(ii) *Commodities.* The following is a list of all the commodities included in Crop Group 12:

CROP GROUP 12: STONE FRUITS GROUP— COMMODITIES

Apricot (*Prunus armeniaca*)
Cherry, sweet (*Prunus avium*),
Cherry, tart (*Prunus cerasus*)

Nectarine (*Prunus persica*)
Peach (*Prunus persica*)
Plum (*Prunus domestica*, *Prunus* spp.)
Plum, Chickasaw (*Prunus angustifolia*)
Plum, Damson (*Prunus domestica* spp. *insititia*)
Plum, Japanese (*Prunus salicina*)
Plumcot (*Prunus armeniaca* × *P. domestica*)
Prune (fresh) (*Prunus domestica*, *Prunus* spp.)

(19) *Crop Group 12-12: Stone Fruit Group.*

(i) *Representative commodities.* Sweet cherry or Tart cherry; Peach; and Plum or Prune plum.

(ii) *Commodities.* The following Table 1 is a list of all commodities included in Crop Group 12-12.

TABLE 1—CROP GROUP 12-12: STONE FRUIT GROUP

Commodities	Related crop subgroup
Apricot (<i>Prunus armeniaca</i> L.)	12-12C
Apricot, Japanese (<i>Prunus mume</i> Siebold & Zucc.)	12-12C
Capulin (<i>Prunus serotina</i> Ehrh. var. <i>salicifolia</i> (Kunth) Koehne)	12-12A
Cherry, black (<i>Prunus serotina</i> Ehrh.)	12-12A
Cherry, Nanking (<i>Prunus tomentosa</i> Thunb.)	12-12A
Cherry, sweet (<i>Prunus avium</i> (L.) L.)	12-12A
Cherry, tart (<i>Prunus cerasus</i> L.)	12-12A
Jujube, Chinese (<i>Ziziphus jujuba</i> Mill.)	12-12C
Nectarine (<i>Prunus persica</i> (L.) Batsch var. <i>nucipersica</i> (Suckow) C.K. Schneid)	12-12B
Peach (<i>Prunus persica</i> (L.) Batsch var. <i>persica</i>)	12-12B
Plum (<i>Prunus domestica</i> L. subsp. <i>domestica</i>)	12-12C
Plum, American (<i>Prunus americana</i> Marshall)	12-12C
Plum, beach (<i>Prunus maritima</i> Marshall)	12-12C
Plum, Canada (<i>Prunus nigra</i> Aiton)	12-12C
Plum, cherry (<i>Prunus cerasifera</i> Ehrh.)	12-12C
Plum, Chickasaw (<i>Prunus angustifolia</i> Marshall)	12-12C
Plum, Damson (<i>Prunus domestica</i> L. subsp. <i>insititia</i> (L.) C.K. Schneid.)	12-12C
Plum, Japanese (<i>Prunus salicina</i> Lindl.; <i>P. salicina</i> Lindl. var. <i>salicina</i>)	12-12C
Plum, Klamath (<i>Prunus subcordata</i> Benth.)	12-12C
Plum, prune (<i>Prunus domestica</i> L. subsp. <i>domestica</i>)	12-12C
Plumcot (<i>Prunus</i> hybr.)	12-12C
Sloe (<i>Prunus spinosa</i> L.)	12-12C
Cultivars, varieties, and/or hybrids of these.	12-12C

(iii) *Crop subgroups.* The following Table 2 identifies the crop subgroups for Crop Group 12-12, specifies the rep-

resentative commodities for each subgroup, and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 12-12: SUBGROUP LISTING

Representative commodities	Commodities
Crop subgroup 12-12A. Cherry subgroup	
Cherry, sweet or Cherry, tart	Capulin; Cherry, black; Cherry, Nanking; Cherry, sweet; Cherry, tart; cultivars, varieties, and/or hybrids of these.
Crop subgroup 12-12B. Peach subgroup	
Peach	Peach; Nectarine; cultivars, varieties, and/or hybrids of these.

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 2—CROP GROUP 12-12: SUBGROUP LISTING—Continued

Representative commodities	Commodities
Crop subgroup 12-12C. Plum subgroup	
Plum or Prune plum	Apricot; Apricot, Japanese; Jujube, Chinese; Plum; Plum, American; Plum, beach; Plum, Canada; Plum, cherry; Plum, Chickasaw; Plum, Damson; Plum, Japanese; Plum, Klamath; Plumcot; Plum, prune; Sloe; cultivars, varieties, and/or hybrids of these.

(20) *Crop Group 13. Berries Group.*

(i) *Representative commodities.* Any one blackberry or any one raspberry; and blueberry.

(ii) *Table.* The following table 1 lists all the commodities included in Crop Group 13 and identifies the related subgroups.

TABLE 1—CROP GROUP 13: BERRIES GROUP

Commodities	Related crop subgroups
Blackberry (<i>Rubus eubatus</i>) (including bingelberry, black satin berry, boysenberry, Cherokee blackberry, Chesterberry, Cheyenne blackberry, coryberry, dewberry, Dirksen thornless berry, Himalayaberry, hullberry, Lavacaberry, lowberry, Lucretiaberry, mammoth blackberry, marionberry, nectarberry, olallieberry, Oregon evergreen berry, phenomenalberry, rangeberry, ravenberry, rossberry, Shawnee blackberry, youngberry, and varieties and/or hybrids of these)	13A
Blueberry (<i>Vaccinium</i> spp.)	13B
Currant (<i>Ribes</i> spp.)	13B
Elderberry (<i>Sambucus</i> spp.)	13B
Gooseberry (<i>Ribes</i> spp.)	13B
Huckleberry (<i>Gaulussia</i> spp.)	13B
Loganberry (<i>Rubus loganobaccus</i>)	13A
Raspberry, black and red (<i>Rubus occidentalis</i> , <i>Rubus strigosus</i> , <i>Rubus idaeus</i>)	13A

(iii) *Table.* The following table 2 identifies the crop subgroups for Crop Group 13, specifies the representative

commodities for each subgroup, and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 13 SUBGROUPS LISTING

Representative commodities	Commodities
Crop Subgroup 13A. Caneberry (blackberry and raspberry) subgroup. Any one blackberry or any one raspberry.	Blackberry; loganberry; red and black raspberry; cultivars and/or hybrids of these.
Crop Subgroup 13B. Bushberry subgroup.. Blueberry, highbush.	Blueberry, highbush and lowbush; currant; elderberry; gooseberry; huckleberry.

(21) *Crop Group 13-07. Berry and Small Fruit Crop Group*

(i) *Representative commodities.* Any one blackberry or any one raspberry; highbush blueberry; elderberry or mul-

berry; grape; fuzzy kiwifruit, and strawberry.

(ii) *Table.* The following Table 1 lists all the commodities listed in Crop Group 13-07 and identifies the related crop subgroups.

TABLE 1—CROP GROUP 13-07: BERRY AND SMALL FRUIT CROP GROUP

Commodities	Related crop subgroups
Amur river grape (<i>Vitis amurensis Rupr</i>)	13-07D, 13-07E, 13-07F
Aronia berry (<i>Aronia</i> spp.)	13-07B
Bayberry (<i>Myrica</i> spp.)	13-07C
Bearberry (<i>Arctostaphylos uva-ursi</i>)	13-07G, 13-07H
Blueberry (<i>Vaccinium myrtillus L.</i>)	13-07G, 13-07H

Environmental Protection Agency

§ 180.41

TABLE 1—CROP GROUP 13-07: BERRY AND SMALL FRUIT CROP GROUP—Continued

Commodities	Related crop subgroups
Blackberry (<i>Rubus</i> spp.) (including Andean blackberry, arctic blackberry, bingeberry, black satin berry, boysenberry, brombeere, California blackberry, Chesterberry, Cherokee blackberry, Cheyenne blackberry, common blackberry, coryberry, darrowberry, dewberry, Dirksen thornless berry, evergreen blackberry, Himalayaberry, hulberry, lavacaberry, loganberry, lowberry, Lucretiaberry, mammoth blackberry, marionberry, mora, mures deronce, nectarberry, Northern dewberry, olallieberry, Oregon evergreen berry, phenomenalberry, rangeberry, ravenberry, rossberry, Shawnee blackberry, Southern dewberry, tayberry, youngberry, zarzamora, and cultivars, varieties and/or hybrids of these.)	13-07A
Blueberry, highbush (<i>Vaccinium</i> spp.)	13-07B
Blueberry, lowbush (<i>Vaccinium angustifolium</i> Aiton)	13-07B
Buffalo currant (<i>Ribes aureum</i> Pursh)	13-07B
Buffaloberry (<i>Shepherdia argentea</i> (Pursh) Nutt.)	13-07C
Che (<i>Cudrania tricuspidata</i> Bur. Ex Lavallee)	13-07C
Chilean guava (<i>Myrtus ugni</i> Mol.)	13-07B
Chokecherry (<i>Prunus virginiana</i> L.)	13-07C
Cloudberry (<i>Rubus chamaemorus</i> L.)	13-07G, 13-07H
Cranberry (<i>Vaccinium macrocarpon</i> Aiton)	13-07G, 13-07H
Currant, black (<i>Ribes nigrum</i> L.)	13-07B
Currant, red (<i>Ribes rubrum</i> L.)	13-07B
Elderberry (<i>Sambucus</i> spp.)	13-07B, 13-07C
European barberry (<i>Berberis vulgaris</i> L.)	13-07B
Gooseberry (<i>Ribes</i> spp.)	13-07B, 13-07D, 13-07E, 13-07F 13-07D, 13-07F 13-07B 13-07B
Grape (<i>Vitis</i> spp.)	13-07B
Highbush cranberry (<i>Viburnum opulus</i> L. var. <i>Americanum</i> Aiton)	13-07B
Honeysuckle, edible (<i>Lonicera caerulea</i> L. var. <i>emphyllocaalyx</i> Nakai, <i>Lonicera caerulea</i> L var . <i>edulis Turcz. ex herder</i>)	13-07B
Huckleberry (<i>Gaultheria</i> spp.)	13-07B
Jostaberry (<i>Ribes x nidigrolaria</i> Rud. Bauer and A. Bauer)	13-07B
Juneberry (Saskatoon berry) (<i>Amelanchier</i> spp.)	13-07B, 13-07C
Kiwifruit, fuzzy (<i>Actinidia deliciosa</i> A. Chev.) (C.F. Liang and A.R. Fergusons, <i>Actinida chinensis</i> Planch.)	13-07D, 13-07E
Kiwifruit, hardy (<i>Actinidia arguta</i> (Siebold and Zucc.) Planch. ex Miq)	13-07D, 13-07E, 13-07F
Lingonberry (<i>Vaccinium vitis-idaea</i> L.)	13-07B, 13-07G 13-07H
Maypop (<i>Passiflora incarnata</i> L.)	13-07E, 13-07F
Mountain pepper berries (<i>Tasmannia lanceolata</i>)(Poir.) A.C.Sm.	13-07C
Mulberry (<i>Morus</i> spp.)	13-07C
Muntries (<i>Kunzea pomifera</i> F. Muell.)	13-07G, 13-07H
Native currant (<i>Acotrichie depressa</i> R. BR.)	13-07B
Partridgeberry (<i>Mitchella repens</i> L.)	13-07G, 13-07H
Phalsa (<i>Grewia subinaequalis</i> DC.)	13-07C
Pincherry (<i>Prunus pensylvanica</i> L.f.)	13-07C
Raspberry, black and red (<i>Rubus</i> spp.)	13-07A
Riberry (<i>Syzygium luehmannii</i>)	13-07C
Salal (<i>Gaultheria shallon</i> Pursh.)	13-07B, 13-07C
Schisandra berry (<i>Schisandra chinensis</i> (Turcz.) Baill.)	13-07D, 13-07E, 13-07F
Sea buckthorn (<i>Hippophae rhamnoides</i> L.)	13-07B
Serviceberry (<i>Sorbus</i> spp.)	13-07C
Strawberry (<i>Fragaria x ananassa</i> Duchesne)	13-07G
Wild raspberry (<i>Rubus muelleri</i> Lefevre ex P.J. Mull)	13-07A
Cultivars, varieties, and/or hybrids of these.	

(iii) *Table.* The following Table 2 identifies the crop subgroups for Crop Group 13-07, specifies the representative commodities for each subgroup and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 13-07: SUBGROUP LISTING

Representative commodities	Commodities
Crop Subgroup 13-07A. Caneberry subgroup Any one blackberry or any one raspberry..	Blackberry; loganberry; raspberry, red and black; wild raspberry; cultivars, varieties, and/or hybrids of these.
Crop Subgroup 13-07B. Bushberry subgroup.	

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 2—CROP GROUP 13-07: SUBGROUP LISTING—Continued

Representative commodities	Commodities
Blueberry, highbush.	Aronia berry; blueberry, highbush; blueberry, lowbush; buffalo currant; Chilean guava; currant, black; currant, red; elderberry; European, barberry; gooseberry; cranberry, highbush; honeysuckle, edible; huckleberry; jostaberry; Juneberry; lingonberry; native currant; salal; sea buckthorn; cultivars, varieties, and/or hybrids of these.
Crop Subgroup 13-07C. Large shrub/tree berry subgroup. Elderberry or mulberry.	Bayberry; buffaloberry; che; chokecherry; elderberry; Juneberry; mountain pepper berries; mulberry; phalsa; pincherry; riberry; salal; serviceberry; cultivars, varieties, and/or hybrids of these.
Crop Subgroup 13-07D. Small fruit vine climbing subgroup. Grape and fuzzy kiwifruit.	Amur river grape; gooseberry; grape; kiwifruit, fuzzy; kiwifruit, hardy; Maypop; schisandra berry; cultivars, varieties, and/or hybrids of these.
Crop Subgroup 13-07E. Small fruit vine climbing subgroup, except grape. Fuzzy kiwifruit.	Amur river grape; gooseberry; kiwifruit, fuzzy; kiwifruit, hardy; Maypop; schisandra berry; cultivars, varieties, and/or hybrids of these.
Crop Subgroup 13-07F. Small fruit vine climbing subgroup except fuzzy kiwifruit. Grape.	Amur river grape; gooseberry; grape; kiwifruit, hardy; Maypop; schisandra berry; cultivars, varieties, and/or hybrids of these.
Crop Subgroup 13-07G. Low growing berry subgroup. Strawberry.	Bearberry; bilberry; blueberry, lowbush; cloudberry; cranberry; lingonberry; muntrees; partridgeberry; strawberry; cultivars, varieties, and/or hybrids of these.
Crop Subgroup 13-07H. Low growing berry subgroup, except strawberry. Cranberry	Bearberry; bilberry; blueberry, lowbush; cloudberry; cranberry; lingonberry; muntrees; partridgeberry; cultivars, varieties, and/or cultivars of these.

(22) *Crop Group 14. Tree Nuts Group.*

- (i) *Representative commodities.* Almond and pecan.
(ii) *Commodities.* The following is a list of all the commodities included in Crop Group 14:

CROP GROUP 14: TREE NUTS—COMMODITIES

Almond (*Prunus dulcis*)
Beech nut (*Fagus* spp.)
Brazil nut (*Bertholletia excelsa*)
Butternut (*Juglans cinerea*)
Cashew (*Anacardium occidentale*)
Chestnut (*Castanea* spp.)
Chinquapin (*Castanea pumila*)
Filbert (hazelnut) (*Corylus* spp.)
Hickory nut (*Carya* spp.)
Macadamia nut (bush nut) (*Macadamia* spp.)
Pecan (*Carya illinoensis*)
Walnut, black and English (Persian) (*Juglans* spp.)

(23) *Crop Group 14-12. Tree Nut Group.*

- (i) *Representative commodities.* Almond and Pecan.
(ii) *Commodities.* The following is a list of all commodities included in Crop Group 14-12.

CROP GROUP 14-12: TREE NUT GROUP

African nut-tree (*Ricinodendron heudelotii* (Baill.) Heckel)
Almond (*Prunus dulcis* (Mill.) D.A. Webb)
Beechnut (*Fagus grandifolia* Ehrh.; *F. sylvatica* L.)
Brazil nut (*Bertholletia excelsa* Humb. & Bonpl.)
Brazilian pine (*Araucaria angustifolia* (Bertol.) Kuntze)
Bunya (*Araucaria bidwillii* Hook.)
Bur oak (*Quercus macrocarpa* Michx.)
Butternut (*Juglans cinerea* L.)
Cajou nut (*Anacardium giganteum* Hance ex Engl.)
Candlenut (*Aleurites moluccanus* (L.) Willd.)
Cashew (*Anacardium occidentale* L.)
Chestnut (*Castanea crenata* Siebold & Zucc.; *C. dentata* (Marshall) Borkh.; *C. mollissima* Blume; *C. sativa* Mill.)
Chinquapin (*Castanea pumila* (L.) Mill.)
Coconut (*Cocos nucifera* L.)
Coquito nut (*Jubaea chilensis* (Molina) Baill.)
Dika nut (*Irvingia gabonensis* (Aubry-Lecomte ex O'Rorke) Baill.)
Ginkgo (*Ginkgo biloba* L.)
Guiana chestnut (*Pachira aquatica* Aubl.)
Hazelnut (Filbert) (*Corylus americana* Marshall; *C. avellana* L.; *C. californica* (A. DC.) Rose; *C. chinensis* Franch.)
Heartnut (*Juglans ailanthifolia* Carrière var. *cordiformis* (Makino) Rehder)

Environmental Protection Agency

§ 180.41

Hickory nut (*Carya cathayensis* Sarg.; *C. glabra* (Mill.) Sweet; *C. laciniosa* (F. Michx.) W. P. C. Barton; *C. myristiciformis* (F. Michx.) Elliott; *C. ovata* (Mill.) K. Koch; *C. tomentosa* (Lam.) Nutt.)
Japanese horse-chestnut (*Aesculus turbinata* Blume)
Macadamia nut (*Macadamia integrifolia* Maiden & Betche; *M. tetraphylla* L.A.S. Johnson)
Mongongo nut (*Schinziophyton rautanenii* (Schinz) Radcl.-Sm.)
Monkey-pot (*Lecythis pisonis* Cambess.)
Monkey puzzle nut (*Araucaria araucana* (Molina) K. Koch)
Okari nut (*Terminalia kaernbachii* Warb.)
Pachira nut (*Pachira insignis* (Sw.) Savigny)
Peach palm nut (*Bactris gasipaes* Kunth var. *gasipaes*)
Pecan (*Carya illinoiensis* (Wangenh.) K. Koch)
Pequi (*Caryocar brasiliense* Cambess.; *C. villosum* (Aubl.) Pers; *C. nuciferum* L.)
Pili nut (*Canarium ovatum* Engl.; *C. vulgare* Leenh.)
Pine nut (*Pinus edulis* Engelm.; *P. koraiensis* Siebold & Zucc.; *P. sibirica* Du Tour; *P. pumila* (Pall.) Regel; *P. gerardiana* Wall. ex D. Don; *P. monophylla* Torr. & Frém.; *P. quadrifolia* Parl. ex Sudw.; *P. pinea* L.)
Pistachio (*Pistacia vera* L.)
Sapucaia nut (*Lecythis zabucaja* Aubl.)
Tropical almond (*Terminalia catappa* L.)
Walnut, black (*Juglans nigra* L.; *J. hindsii* Jeps. ex R. E. Sm.; *J. microcarpa* Berland.)
Walnut, English (*Juglans regia* L.)
Yellowhorn (*Xanthoceras sorbifolium* Bunge)

Cultivars, varieties, and/or hybrids of these

(24) *Crop Group 15. Cereal Grains Group.*

(i) *Representative commodities.* Corn (fresh sweet corn and dried field corn), rice, sorghum, and wheat.
(ii) *Commodities.* The following is a list of all the commodities included in Crop Group 15:

CROP GROUP 15: CEREAL GRAINS— COMMODITIES

Barley (*Hordeum* spp.)
Buckwheat (*Fagopyrum esculentum*)
Corn (*Zea mays*)
Millet, pearl (*Pennisetum glaucum*)
Millet, proso (*Panicum milliaceum*)
Oats (*Avena* spp.)
Popcorn (*Zea mays* var. *erecta*)
Rice (*Oryza sativa*)
Rye (*Secale cereale*)
Sorghum (milo) (*Sorghum* spp.)
Teosinte (*Euchlaena mexicana*)
Triticale (*Triticum-Secale* hybrids)
Wheat (*Triticum* spp.)
Wild rice (*Zizania aquatica*)

(25) *Crop Group 16. Forage, Fodder and Straw of Cereal Grains Group.*

(i) *Representative commodities.* Corn, wheat, and any other cereal grain crop.

(ii) *Commodities.* The commodities included in Crop Group 16 are: Forage, fodder, stover, and straw of all commodities included in the group cereal grains group. EPA may establish separate group tolerances on forage, fodder, hay, stover, or straw, if data on the representative commodities indicate differences in the levels of residues on forage, fodder, stover, or straw.

(26) *Crop Group 17. Grass Forage, Fodder, and Hay Group.*

(i) *Representative commodities.* Bermuda grass; bluegrass; and bromegrass or fescue.

(ii) *Commodities.* The commodities included in Crop Group 17 are: Forage, fodder, stover, and hay of any grass, *Gramineae/Poaceae* family (either green or cured) except sugarcane and those included in the cereal grains group, that will be fed to or grazed by livestock, all pasture and range grasses and grasses grown for hay or silage. EPA may establish separate group tolerances on forage, fodder, stover, or hay, if data on the representative commodities indicate differences in the levels of residues on forage, fodder, stover, or hay.

(27) *Crop Group 18. Nongrass Animal Feeds (Forage, Fodder, Straw, and Hay) Group.*

(i) *Representative commodities.* Alfalfa and clover (*Trifolium* spp.)

(ii) *Commodities.* EPA may establish separate group tolerances on forage, fodder, straw, or hay, if data on the representative commodities indicate differences in the levels of residues on forage, fodder, straw, or hay. The following is a list of all the commodities included in Crop Group 18:

CROP GROUP 18: NONGRASS ANIMAL FEEDS (FORAGE, FODDER, STRAW, AND HAY) GROUP—COMMODITIES

Alfalfa (*Medicago sativa* subsp. *sativa*)
Bean, velvet (*Mucuna pruriens* var. *utilis*)
Clover (*Trifolium* spp., *Melilotus* spp.)
Kudzu (*Pueraria lobata*)
Lespedeza (*Lespedeza* spp.)
Lupin (*Lupinus* spp.)
Sainfoin (*Onobrychis viciifolia*)
Trefoil (*Lotus* spp.)
Vetch (*Vicia* spp.)
Vetch, crown (*Coronilla varia*)
Vetch, milk (*Astragalus* spp.).

§ 180.41

(28) *Crop Group 19. Herbs and Spices Group.*

(i) *Representative commodities.* Basil (fresh and dried); black pepper; chive; and celery seed or dill seed.

(ii) *Table.* The following table 1 lists all the commodities included in Crop Group 19 and identifies the related subgroups.

TABLE 1—CROP GROUP 19: HERBS AND SPICES GROUP

Commodities	Related crop sub-groups
Allspice (<i>Pimenta dioica</i>)	19B
Angelica (<i>Angelica archangelica</i>)	19A
Anise (anise seed) (<i>Pimpinella anisum</i>)	19B
Anise, star (<i>Illiium verum</i>)	19B
Annatto (seed)	19B
Balm (lemon balm) (<i>Melissa officinalis</i>)	19A
Basil (<i>Ocimum basilicum</i>)	19A
Borage (<i>Borago officinalis</i>)	19A
Burnet (<i>Sanguisorba minor</i>)	19A
Camomile (<i>Anthemis nobilis</i>)	19A
Caper buds (<i>Capparis spinosa</i>)	19B
Caraway (<i>Carum carvi</i>)	19B
Caraway, black (<i>Nigella sativa</i>)	19B
Cardamom (<i>Elettaria cardamomum</i>)	19B
Cassia bark (<i>Cinnamomum aromaticum</i>)	19B
Cassia buds (<i>Cinnamomum aromaticum</i>)	19B
Catnip (<i>Nepeta cataria</i>)	19A
Celery seed (<i>Apium graveolens</i>)	19B
Chervil (dried) (<i>Anthriscus cerefolium</i>)	19A
Chive (<i>Allium schoenoprasum</i>)	19A
Chive, Chinese (<i>Allium tuberosum</i>)	19A
Cinnamon (<i>Cinnamomum verum</i>)	19B
Clary (<i>Salvia sclarea</i>)	19A
Clove buds (<i>Eugenia caryophyllata</i>)	19B
Coriander (cilantro or Chinese parsley) (leaf) (<i>Coriandrum sativum</i>)	19A
Coriander (cilantro) (seed) (<i>Coriandrum sativum</i>)	19B
Costmary (<i>Chrysanthemum balsamita</i>)	19A
Culantro (leaf) (<i>Eryngium foetidum</i>)	19A
Culantro (seed) (<i>Eryngium foetidum</i>)	19B
Cumin (<i>Cuminum cyminum</i>)	19B
Curry (leaf) (<i>Murraya koenigii</i>)	19A
Dill (dillweed) (<i>Anethum graveolens</i>)	19A
Dill (seed) (<i>Anethum graveolens</i>)	19B
Fennel (common) (<i>Foeniculum vulgare</i>)	19B

40 CFR Ch. I (7-1-21 Edition)

TABLE 1—CROP GROUP 19: HERBS AND SPICES GROUP—Continued

Commodities	Related crop sub-groups
Fennel, Florence (seed) (<i>Foeniculum vulgare</i> Azoricum Group)	19B
Fenugreek (<i>Trigonella foenumgraecum</i>)	19B
Grains of paradise (<i>Aframomum melegueta</i>)	19B
Horehound (<i>Marrubium vulgare</i>)	19A
Hyssop (<i>Hyssopus officinalis</i>)	19A
Juniper berry (<i>Juniperus communis</i>)	19B
Lavender (<i>Lavandula officinalis</i>)	19A
Lemongrass (<i>Cymbopogon citratus</i>)	19A
Lovage (leaf) (<i>Levisticum officinale</i>)	19A
Lovage (seed) (<i>Levisticum officinale</i>)	19B
Mace (<i>Myristica fragrans</i>)	19B
Marigold (<i>Calendula officinalis</i>)	19A
Marjoram (<i>Origanum spp.</i>) (includes sweet or annual marjoram, wild marjoram or oregano, and pot marjoram)	19A
Mustard (seed) (<i>Brassica juncea</i> , <i>B. hirta</i> , <i>B. nigra</i>)	19B
Nasturtium (<i>Tropaeolum majus</i>)	19A
Nutmeg (<i>Myristica fragrans</i>)	19B
Parsley (dried) (<i>Petroselinum crispum</i>)	19A
Pennyroyal (<i>Mentha pulegium</i>)	19A
Pepper, black (<i>Piper nigrum</i>)	19B
Pepper, white	19B
Poppy (seed) (<i>Papaver somniferum</i>)	19B
Rosemary (<i>Rosmarinus officinalis</i>)	19A
Rue (<i>Ruta graveolens</i>)	19A
Saffron (<i>Crocus sativus</i>)	19B
Sage (<i>Salvia officinalis</i>)	19A
Savory, summer and winter (<i>Satureja spp.</i>)	19A
Sweet bay (bay leaf) (<i>Laurus nobilis</i>)	19A
Tansy (<i>Tanacetum vulgare</i>)	19A
Tarragon (<i>Artemisia dracunculus</i>)	19A
Thyme (<i>Thymus spp.</i>)	19A
Vanilla (<i>Vanilla planifolia</i>)	19B
Wintergreen (<i>Gaultheria procumbens</i>)	19A
Woodruff (<i>Galium odorata</i>)	19A
Wormwood (<i>Artemisia absinthium</i>)	19A

(iii) *Table.* The following table 2 identifies the crop subgroups for Crop Group 19, specifies the representative commodities for each subgroup, and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 19 SUBGROUPS

Representative commodities	Commodities
Crop Subgroup 19A. Herb subgroup. Basil (fresh and dried) and chive.	Angelica; balm; basil; borage; burnet; camomile; catnip; chervil (dried); chive, Chinese; clary; coriander (leaf); costmary; culantro (leaf); curry (leaf); dillweed; horehound; hyssop; lavender; lemongrass; lovage (leaf); marjoram (<i>Origanum spp.</i>); nasturtium; parsley (dried); pennyroyal; rosemary; rue; sage; savory, summer and winter; sweet bay; tansy; tarragon; thyme; wintergreen; woodruff; and wormwood.
Crop Subgroup 19B. Spice subgroup. Black pepper; and celery seed or dill seed.	Allspice; anise (seed); anise, star; annatto (seed); caper (buds); caraway; caraway, black; cardamom; cassia (buds); celery (seed); cinnamon; clove (buds); coriander (seed); culantro (seed); cumiri; dill (seed); fennel, common; fennel, Florence (seed); fenugreek; grains of paradise; juniper (berry); lovage (seed); mace; mustard (seed); nutmeg; pepper, black; pepper, white; poppy (seed); saffron; and vanilla.

Environmental Protection Agency

§ 180.41

(iv) After November 6, 2020, new herb crop group and subgroup tolerances will be established as Crop Group 25 or subgroups 25A and 25B, and new spice crop group tolerances will be established as Crop Group 26.

(29) *Crop Group 20. Oilseed Group.*

(i) *Representative commodities.* Rapeseed (canola varieties only); sunflower, seed and cottonseed.

(ii) *Table.* The following Table 1 lists all the commodities listed in Crop Group 20 and identifies the related crop subgroups and includes cultivars and/or varieties of these commodities.

TABLE 1—CROP GROUP 20: OILSEED GROUP

Commodities	Related crop subgroups
Borage, <i>Borago officinalis</i> L	20A
Calendula, <i>Calendula officinalis</i> L	20B
Castor oil plant, <i>Ricinus communis</i> L	20B
Chinese tallowtree, <i>Triadica sebifera</i> (L.) Small	20B
Cottonseed, <i>Gossypium hirsutum</i> L; <i>Gossypium</i> spp	20C
Crambe, <i>Crambe hispanica</i> L.; <i>C. abyssinica</i> Hochst. ex R.E. Fr	20A
Cuphea, <i>Cuphea hyssopifolia</i> Kunth	20A
Echium, <i>Echium plantagineum</i> L	20A
Euphorbia, <i>Euphorbia esula</i> L	20B
Evening primrose, <i>Oenothera biennis</i> L	20B
Flax seed, <i>Linum usitatissimum</i> L	20A
Gold of pleasure, <i>Camelina sativa</i> (L.) Crantz	20A
Hare's ear mustard, <i>Conringia orientalis</i> (L.) Dumort	20A
Jojoba, <i>Simmondsia chinensis</i> (Link) C.K. Schneid	20B
Lesquerella, <i>Lesquerella recurvata</i> (Engelm. ex A. Gray) S. Watson	20A
Lunaria, <i>Lunaria annua</i> L	20A
Meadowfoam, <i>Limnanthes alba</i> Hartw. ex Benth	20A
Milkweed, <i>Asclepias</i> spp	20A
Mustard seed, <i>Brassica hirta</i> Moench, <i>Sinapis alba</i> L. subsp. <i>Alba</i>	20A
Niger seed, <i>Guizotia abyssinica</i> (L.f.) Cass	20B
Oil radish, <i>Raphanus sativus</i> L. var. <i>oleiformis</i> Pers	20A
Poppy seed, <i>Papaver somniferum</i> L. subsp. <i>Somniferum</i>	20A
Rapeseed, <i>Brassica</i> spp.; <i>B. napus</i> L	20A
Rose hip, <i>Rosa rubiginosa</i> L	20B
Safflower, <i>Carthamus tinctorius</i> L	20B
Sesame, <i>Sesamum indicum</i> L.; <i>S. radiatum</i> Schumach. & Bonn	20A
Stokes aster, <i>Stokesia laevis</i> (Hill) Greene	20B
Sunflower, <i>Helianthus annuus</i> L	20B
Sweet rocket, <i>Hesperis matronalis</i> L	20A
Tallowwood, <i>Ximenia americana</i> L	20B
Tea oil plant, <i>Camellia oleifera</i> C. Abel	20B
Vernonia, <i>Vernonia galamensis</i> (Cass.) Less	20B
Cultivars, varieties, and/or hybrids of these.	20B

(iii) *Table.* The following Table 2 identifies the crop subgroups for Crop Group 20, specifies the representative commodities for each subgroup and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 20: SUBGROUP LISTING

Representative commodities	Commodities
Crop subgroup 20A. Rapeseed subgroup Rapeseed, canola varieties only	Borage; crambe; cuphea; echium; flax seed; gold of pleasure; hare's ear mustard; lesquerella; lunaria; meadowfoam; milkweed; mustard seed; oil radish; poppy seed; rapeseed; sesame; sweet rocket cultivars, varieties, and/or hybrids of these.
Crop subgroup 20B. Sunflower subgroup Sunflower, seed	Calendula; castor oil plant; chinese tallowtree; euphorbia; evening primrose; jojoba; niger seed; rose hip; safflower; stokes aster; sunflower; tallowwood; tea oil plant; vernonia; cultivars, varieties, and/or hybrids of these.
Crop subgroup 20C. Cottonseed subgroup Cottonseed	Cottonseed; cultivars, varieties, and/or hybrids of these.

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

(30) *Crop Group 21.* Edible fungi Group.

(i) *Representative commodities.* White button mushroom and any one oyster mushroom or any Shiitake mushroom.

(ii) *Table.* The following is a list of all the commodities in Crop Group 21. There are no related subgroups.

**CROP GROUP 21—EDIBLE FUNGI GROUP—
COMMODITIES**

Blewitt (*Lepista nuda*)
 Bunashimeji (*Hypsizygus marrmoreus*)
 Chinese mushroom (*Volvariella volvacea*) (Bull.) Singer
 Enoki (*Flammulina velutipes*) (Curt.) Singer
 Hime-Matsutake (*Agaricus blazei*) Murill
 Hirneola (*Auricularia auricular*)
 Maitake (*Grifola frondosa*)
 Morel (*Morchella spp.*)
 Nameko (*Pholiota nameko*)
 Net Bearing (*Dictyophora*)
 Oyster mushroom (*Pleurotus spp.*)
 Pom Pom (*Hericium erinaceus*)
 Reishi mushroom (*Ganoderma lucidum* (Leyss. Fr.) Karst.)
 Rodman's agaricus (*Agaricus bitorquis*) (Quel.) Saccardo
 Shiitake mushroom (*Lentinula edodes* (Berk.) Pegl.)
 Shimeji (*Tricholoma conglobatum*)
 Stropharia (*Stropharia spp.*)
 Truffle (*Tuber spp.*)
 White button mushroom (*Agaricus bisporous* (Lange)
 Imbach)
 White Jelly Fungi (*Tremella fuciformis*)

(31) *Crop Group 22.* Stalk, Stem and Leaf Petiole Vegetable Group.

(i) *Representative commodities.* Asparagus and celery.

(ii) *Commodities.* The following Table 1 lists all commodities included in Crop Group 22.

TABLE 1—CROP GROUP 22: STALK, STEM AND LEAF PETIOLE VEGETABLE GROUP

Commodities	Related crop subgroups
Agave (<i>Agave spp.</i>)	22A
Aloe vera (<i>Aloe vera</i> (L.) Burm.f.)	22A
Asparagus (<i>Asparagus officinalis</i> L.)	22A
Bamboo, shoots (<i>Arundinaria spp.</i> ; <i>Bambusa spp.</i> , <i>Chimonobambusa spp.</i> ; <i>Dendrocalamus spp.</i> , <i>Fargesia spp.</i> ; <i>Gigantochloa spp.</i> , <i>Nastus elatus</i> , <i>Phyllostachys spp.</i> ; <i>Thysostachys spp.</i>)	22A
Cardoon (<i>Cynara cardunculus</i> L.)	22B
Celery (<i>Apium graveolens</i> var. <i>dulce</i> (Mill.) Pers.)	22B
Celery, Chinese (<i>Apium graveolens</i> L. var. <i>secalinum</i> (Alef.) Mansf.)	22B
Celtuce (<i>Lactuca sativa</i> var. <i>angustana</i> L.H. Bailey)	22A
Fennel, Florence, fresh leaves and stalk (<i>Foeniculum vulgare</i> subsp. <i>vulgare</i> var. <i>azoricum</i> (Mill.) Thell.)	22A
Fern, edible, fiddlehead	22A
Fuki (<i>Petasites japonicus</i> (Siebold & Zucc.) Maxim.)	22B
Kale, sea (<i>Crambe maritima</i> L.)	22A
Kohlrabi (<i>Brassica oleracea</i> L. var. <i>gongylodes</i> L.)	22A
Palm hearts (various species)	22A
Prickly pear, pads (<i>Opuntia ficus-indica</i> (L.) Mill., <i>Opuntia spp.</i>)	22A
Prickly pear, Texas, pads (<i>Opuntia engelmannii</i> Salm-Dyck ex Engelm. var. <i>lindheimeri</i> (Engelm.) B.D. Parfitt & Pinkav)	22A
Rhubarb (<i>Rheum x rhabarbarum</i> L.)	22B
Udo (<i>Aralia cordata</i> Thunb.)	22B
Zuiki (<i>Colocasia gigantea</i> (Blume) Hook. f.)	22B
Cultivars, varieties, and hybrids of these commodities.	

(iii) *Crop subgroups.* The following Table 2 identifies the crop subgroups for Crop Group 22, specifies the rep-

resentative commodities for each subgroup, and lists all the commodities included in each subgroup.

Environmental Protection Agency

§ 180.41

TABLE 2—CROP GROUP 22: SUBGROUP LISTING

Representative commodities	Commodities
Crop Subgroup 22A. Stalk and stem vegetable subgroup	
Asparagus	Agave; aloe vera; asparagus; bamboo, shoots; celuce; fennel, flounce, fresh leaves and stalk; fern, edible, fiddlehead; kale, sea; kohlrabi; palm hearts; prickly pear, pads; prickly pear, Texas, pads; cultivars, varieties, and hybrids of these commodities.
Crop Subgroup 22B. Leaf petiole vegetable subgroup	
Celery	Cardoon; celery; celery, Chinese; fuki; rhubarb; udo; zuiki; cultivars, varieties, and hybrids of these commodities.

(32) *Crop Group 23. Tropical and Sub-tropical Fruit, Edible Peel Group.*

(i) *Representative commodities.* Date, fig, guava, and olive.

(ii) *Commodities.* The following Table 1 lists all commodities included in Crop Group 23.

TABLE 1—CROP GROUP 23: TROPICAL AND SUBTROPICAL FRUIT, EDIBLE PEEL GROUP

Commodities	Related crop subgroups
Açaí (<i>Euterpe oleracea</i> Mart.)	23C
Acerola (<i>Malpighia emarginata</i> DC.)	23A
Achachairú (<i>Garcinia Gardneriana</i> (Planch. & Triana) Zappi)	23B
African plum (<i>Vitex doniana</i> Sweet)	23A
Agritos (<i>Berberis trifoliolata</i> Moric.)	23A
Almondette (<i>Buchanania lanzae</i> Spreng.)	23A
Ambarella (<i>Spondias dulcis</i> Sol. ex Parkinson)	23B
Apak palm (<i>Brahea dulcis</i> (Kunth) Mart.)	23C
Appleberry (<i>Billardiera scandens</i> Sm.)	23A
Araçá (<i>Eugenia stipitata</i> McVaugh)	23B
Arbutus berry (<i>Arbutus unedo</i> L.)	23A
Babaco (<i>Vasconcellea x heilbornii</i> (V.M. Badillo) V.M. Badillo)	23B
Bacaba palm (<i>Oenocarpus bacaba</i> Mart.)	23C
Bacaba-de-leque (<i>Oenocarpus distichus</i> Mart.)	23C
Bayberry, red (<i>Morella rubra</i> Lour.)	23A
Bignay (<i>Antidesma bunius</i> (L.) Spreng.)	23A
Bilimbi (<i>Averrhoa bilimbi</i> L.)	23B
Borójó (<i>Borjoa patinoi</i> Cuatrec.)	23B
Breadnut (<i>Brosimum alicastrum</i> Sw.)	23A
Cabeluda (<i>Plinia glomerata</i> (O. Berg) Amshoff)	23A
Cajou, fruit (<i>Anacardium giganteum</i> Hance ex Engl.)	23B
Cambucá (<i>Marierea edulis</i> Nied.)	23B
Carandas-plum (<i>Carissa edulis</i> Vahl)	23A
Carob (<i>Ceratonia siliqua</i> L.)	23B
Cashew apple (<i>Anacardium occidentale</i> L.)	23B
Ceylon iron wood (<i>Manilkara hexandra</i> (Roxb.) Dubard)	23A
Ceylon olive (<i>Elaeocarpus serratus</i> L.)	23A
Cherry-of-the-Rio-Grande (<i>Eugenia aggregata</i> (Vell.) Kiaersk.)	23A
Chinese olive, black (<i>Canarium tramdenum</i> C.D. Dai & Yakovlev)	23A
Chinese olive, white (<i>Canarium album</i> (Lour.) Raeusch.)	23A
Chirauli-nut (<i>Buchanania latifolia</i> Roxb.)	23A
Ciruela verde (<i>Bunchosia armeniaca</i> (Cav.) DC.)	23B
Cocoplum (<i>Chrysobalanus icaco</i> L.)	23A
Date (<i>Phoenix dactylifera</i> L.)	23C
Davidson's plum (<i>Davidsonia pruriens</i> F. Muell.)	23B
Desert-date (<i>Balanites aegyptiacus</i> (L.) Delile)	23A
Doum palm coconut (<i>Hyphaene thebaica</i> (L.) Mart.)	23C
False sandalwood (<i>Ximenesia americana</i> L.)	23A
Feijoa (<i>Acca sellowiana</i> (O. Berg) Burret)	23B
Fig (<i>Ficus carica</i> L.)	23B
Fragrant manjack (<i>Cordia dichotoma</i> G. Forst.)	23A
Gooseberry, abyssinian (<i>Dovyalis abyssinica</i> (A. Rich.) Warb.)	23A
Gooseberry, Ceylon (<i>Dovyalis hebecarpa</i> (Gardner) Warb.)	23A
Gooseberry, Indian (<i>Phyllanthus emblica</i> L.)	23B
Gooseberry, otahete (<i>Phyllanthus acidus</i> (L.) Skeels)	23A
Governor's plum (<i>Flacourtiá indica</i> (Burman F.) Merr.)	23A
Grumichama (<i>Eugenia brasiliensis</i> Lam)	23A

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 1—CROP GROUP 23: TROPICAL AND SUBTROPICAL FRUIT, EDIBLE PEEL GROUP—Continued

Commodities	Related crop subgroups
Guabiroba (<i>Campomanesia xanthocarpa</i> O. Berg)	23A
Guava (<i>Psidium guajava</i> L.)	23B
Guava berry (<i>Myrciaria floribunda</i> (H. West ex Willd.) O. Berg)	23A
Guava, Brazilian (<i>Psidium guineense</i> Sw.)	23A
Guava, cattley (<i>Psidium cattleyanum</i> Sabine)	23B
Guava, Costa Rican (<i>Psidium friedrichsthalianum</i> (O. Berg) Nied.)	23A
Guava, Para (<i>Psidium acutangulum</i> DC.)	23B
Guava, purple strawberry (<i>Psidium cattleyanum</i> Sabine var. <i>cattleyanum</i>)	23B
Guava, strawberry (<i>Psidium cattleyanum</i> Sabine var. <i>littorale</i> (Raddi) Fosberg)	23B
Guava, yellow strawberry (<i>Psidium cattleyanum</i> Sabine var. <i>cattleyanum</i> forma <i>lucidum</i> O. Deg.)	23B
Guayabillo (<i>Psidium sartorianum</i> (O. Berg) Nied.)	23A
Illawarra plum (<i>Podocarpus elatus</i> R. Br. Ex Endl.)	23A
Imbé (<i>Garcinia livingstonei</i> T. Anderson)	23B
Imbu (<i>Spondias tuberosa</i> Arruda ex Kost.)	23B
Indian-plum (<i>Flacourtiá jangomas</i> (Lour.) basionym)	23A
Jaboticaba (<i>Myrciaria cauliflora</i> (Mart.) O. Berg)	23B
Jamaica-cherry (<i>Muntingia calabura</i> L.)	23A
Jambolan (<i>Syzygium cumini</i> (L.) Skeels)	23A
Jelly palm (<i>Butia capitata</i> (Mart.) Becc.)	23C
Jujube, Indian (<i>Ziziphus mauritiana</i> Lam.)	23B
Kaffir-plum (<i>Harpophyllum caffrum</i> Bernh. Ex C. Krauss)	23A
Kakadu plum (<i>Terminalia latipes</i> Benth. subsp. <i>psilocarpa</i> Pedley)	23A
Kapundung (<i>Baccaurea racemosa</i> (Reinw.) Mull. Arg.)	23A
Karanda (<i>Carissa carandas</i> L.)	23A
Kwai muk (<i>Artocarpus hypargyreus</i> Hance ex Benth.)	23B
Lemon aspen (<i>Acronychia acidula</i> F. Muell)	23A
Mangaba (<i>Hancornia speciosa</i> Gomes)	23B
Marian plum (<i>Bouea macrophylla</i> Griff.)	23B
Mombin, malayan (<i>Spondias pinnata</i> (J. Koenig ex L. f.) Kurz)	23B
Mombin, purple (<i>Spondias purpurea</i> L.)	23B
Mombin, yellow (<i>Spondias mombin</i> L.)	23A
Monkeyfruit (<i>Artocarpus lacucha</i> Buch. Ham.)	23B
Monos plum (<i>Pseudanamomis umbellulifera</i> (Kunth) Kausel)	23A
Mountain cherry (<i>Bunchosia cornifolia</i> Kunth)	23A
Nance (<i>Byrsonima crassifolia</i> (L.) Kunth)	23B
Natal plum (<i>Carissa macrocarpa</i> (Eckl.) A. DC.)	23B
Noni (<i>Morinda citrifolia</i> L.)	23B
Olive (<i>Olea europaea</i> L. subsp. <i>europaea</i>)	23A
Papaya, mountain (<i>Vasconcellea pubescens</i> A. DC.)	23B
Patauá (<i>Oenocarpus bataua</i> Mart.)	23C
Peach palm, fruit (<i>Bactris gasipaes</i> Kunth var. <i>gasipaes</i>)	23C
Persimmon, black (<i>Diospyros texana</i> Scheele)	23A
Persimmon, Japanese (<i>Diospyros kaki</i> Thunb.)	23B
Pitomba (<i>Eugenia luschnathiana</i> Klotsch ex O. Berg)	23A
Plum-of-Martinique (<i>Flacourtie inermis</i> Roxb.)	23A
Pomerac (<i>Syzygium malaccense</i> (L.) Merr. & L.M. Perry)	23B
Rambai (<i>Baccaurea motleyana</i> (Mull. Arg.) Mull. Arg.)	23B
Rose apple (<i>Syzygium jambos</i> (L.) Alston)	23B
Rukani (<i>Flacourtie rukam</i> Zoll. & Moritzi)	23A
Rumbery (<i>Myrciaria dubia</i> (Kunth) McVaugh Myrtaceae)	23A
Sea grape (<i>Coccoloba uvifera</i> (L.) L.)	23A
Sentul (<i>Sandoricum koetjape</i> (Burm. F.) Merr.)	23B
Sete-capotes (<i>Campomanesia guazumifolia</i> (Cambess.) O. Berg)	23A
Silver aspen (<i>Acronychia wilcoxian</i> (F. Muell.) T.G. Hartley)	23A
Starfruit (<i>Averrhoa carambola</i> L.)	23B
Surinam cherry (<i>Eugenia uniflora</i> L.)	23B
Tamarind (<i>Tamarindus indica</i> L.)	23B
Uvalha (<i>Eugenia pyriformis</i> Cambess.)	23B
Water apple (<i>Syzygium aqueum</i> (Burm. F.) Alston)	23A
Water pear (<i>Syzygium guineense</i> (Willd.) DC.)	23A
Water berry (<i>Syzygium cordatum</i> Hochst. Ex C. Krauss)	23A
Wax jambu (<i>Syzygium samarangense</i> (Blume) Merr. & L.M. Perry)	23A
Cultivars, varieties, and hybrids of these commodities.	

(iii) *Table.* The following Table 2 identifies the crop subgroups for Crop Group 23, specifies the representative commodities for each subgroup, and lists all the commodities included in each subgroup.

Environmental Protection Agency

§ 180.41

TABLE 2—CROP GROUP 23: SUBGROUP LISTING

Representative commodities	Commodities	
Crop Subgroup 23A. Tropical and Subtropical, Small fruit, edible peel subgroup		
Olive	Acerola; African plum; agritos; almondette; appleberry; arbutus berry; bayberry, red; bignay; breadnut; cabeluda; carandas-plum; Ceylon iron wood; Ceylon olive; cherry-of-the-Rio-Grande; Chinese olive, black; Chinese olive, white; chirauli-nut; cocoplum; desert-date; false sandalwood; fragrant manjack; gooseberry, abyssinian; gooseberry, Ceylon; gooseberry, otaheite; governor's plum; grumichama; guabiroba; guava berry; guava, Brazilian; guava, Costa Rican; guayabillo; illawarra plum; Indian-plum; Jamaica-cherry; jambolan; kaffir-plum; kakadu plum; kapundung; karanda; lemon aspen; mombin, yellow; monos plum; mountain cherry; olive; persimmon, black; pitomba; plum-of-Martinique; rukam; rumberry; sea grape; sete-capotes; silver aspen; water apple; water pear; water berry; wax jambu; cultivars, varieties, and hybrids of these commodities.	
Crop Subgroup 23B. Tropical and Subtropical, Medium to large fruit, edible peel subgroup		
Fig and guava	Achachairú; ambarella; arazá; babaco; bilimbi; borojó; cajou, fruit; cambucá; carob; cashew apple; ciruela verde; davidson's plum; feijoa; fig; gooseberry, Indian; guava; guava, cattley; guava, Para; guava, purple strawberry; guava, strawberry; guava, yellow strawberry; imbé; imbu; jaboticaba; jujube, Indian; kwai muk; mangaba; Marian plum; mombin, Malayan; mombin, purple; monkeyfruit; nance; natal plum; noni; papaya; mountain; persimmon, Japanese; pomerac; rambai; rose apple; sentinel; starfruit; Surinam cherry; tam-arind; uvalha; cultivars, varieties, and hybrids of these commodities.	
Crop Subgroup 23C. Tropical and Subtropical, Palm fruit, edible peel subgroup		
Date	Açaí; apak palm; bacaba palm; bacaba-de-leque; date; doum palm coconut; jelly palm; pataua; peach palm, fruit; cultivars, varieties, and hybrids of these commodities.	

(33) *Crop Group 24. Tropical and Subtropical Fruit, Inedible Peel Group.*

(i) *Representative commodities.* Atemoya or sugar apple, avocado, banana or pomegranate, dragon fruit,

lychee, passionfruit, pineapple, and prickly pear, fruit.

(ii) *Commodities.* The following Table 1 lists all commodities included in Crop Group 24.

TABLE 1—CROP GROUP 24: TROPICAL AND SUBTROPICAL FRUIT, INEDIBLE PEEL GROUP

Commodities	Related crop subgroups
Abiu (<i>Pouteria caimito</i> (Ruiz & Pav.) Radlk)	24B
Aisen (<i>Boscia senegalensis</i> (Pers.) Lam.)	24A
Akee apple (<i>Blighia sapida</i> K.D. Koenig)	24B
Atemoya (<i>Annona cherimola</i> Mill. X <i>A. squamosa</i> L.)	24C
Avocado (<i>Persea americana</i> Mill.)	24B
Avocado, Guatemalan (<i>Persea americana</i> Mill. var. <i>guatemalensis</i>)	24B
Avocado, Mexican (<i>Persea americana</i> Mill. var. <i>drysifolia</i> (Schltdl. & Cham.) S.F. Blak)	24B
Avocado, West Indian (<i>Persea americana</i> var. <i>americana</i>)	24B
Bacuri (<i>Platonia insignis</i> Mart.)	24B
Bael fruit (<i>Aegle marmelos</i> (L.) Corrêa)	24A
Banana (<i>Musa</i> spp.)	24B
Banana, dwarf (<i>Musa</i> hybrids; <i>Musa acuminata</i> Colla)	24B
Birnja (<i>Mangifera caesia</i> Jack)	24B
Biriba (<i>Annona mucosa</i> Jacq.)	24C
Breadfruit (<i>Artocarpus altilis</i> (Parkinson) Fosberg)	24C
Burmese grape (<i>Baccaurea ramiflora</i> Lour.)	24A
Canistel (<i>Pouteria campechiana</i> (Kunth) Baehni)	24B
Cat's-eyes (<i>Dimocarpus longan</i> Lour. subsp. <i>malesianus</i> Leenhardt)	24A
Champedak (<i>Artocarpus integer</i> (Thunb.) Merr.)	24C
Cherimoya (<i>Annona cherimola</i> Mill.)	24C
Cupuacú (<i>Theobroma grandiflorum</i> (Willd. Ex Spreng.) K. Schum.)	24B
Custard apple (<i>Annona reticulata</i> L.)	24C
Dragon fruit (<i>Hylocereus undatus</i> (Haw.) Britton & Rose)	24D
Durian (<i>Durio zibethinus</i> L.)	24C

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 1—CROP GROUP 24: TROPICAL AND SUBTROPICAL FRUIT, INEDIBLE PEEL GROUP—Continued

Commodities	Related crop subgroups
Elephant-apple (<i>Limonia acidissima</i> L.)	24C
Etambe (<i>Mangifera zeylanica</i> (Blume) Hook. F.)	24B
Granadilla (<i>Passiflora ligularis</i> Juss.)	24E
Granadilla, giant (<i>Passiflora quadrangularis</i> L.)	24E
Ilama (<i>Annona macroprophyllata</i> Donn. Sm.)	24C
Inga (<i>Inga vera</i> Willd. subsp. <i>affinis</i> (DC.) T.D. Penn.)	24A
Jackfruit (<i>Artocarpus heterophyllus</i> Lam.)	24C
Jatobá (<i>Hymenaea courbaril</i> L.)	24B
Karuka (<i>Pandanus julianettii</i> Martelli)	24C
Kei apple (<i>Dovyalis caffra</i> (Hook. F. & Harv.) Warb.)	24B
Langsat (<i>Lansium domesticum</i> Corréa)	24B
Lanjut (<i>Mangifera lagenifera</i> Griff.)	24B
Longan (<i>Dimocarpus longan</i> Lour.)	24A
Lucuma (<i>Pouteria lucuma</i> (Ruiz & Pav.) Kuntze)	24B
Lychee (<i>Litchi chinensis</i> Sonn.)	24A
Mabolo (<i>Diospyros blancoi</i> A. DC.)	24B
Madras-thorn (<i>Pithecellobium dulce</i> (Roxb.) Benth.)	24A
Mammy-apple (<i>Mammea americana</i> L.)	24C
Manduru (<i>Balanites maughamii</i> Sprague)	24A
Mango (<i>Mangifera indica</i> L.)	24B
Mango, horse (<i>Mangifera foetida</i> Lour.)	24B
Mango, Saipan (<i>Mangifera odorata</i> Griff.)	24B
Mangosteen (<i>Garcinia mangostana</i> L.)	24B
Marang (<i>Artocarpus odoratissimus</i> Blanco)	24C
Marmaladebox (<i>Genipa americana</i> L.)	24C
Matisia (<i>Matisia cordata</i> Humb. & Bonpl.)	24A
Mesquite (<i>Prosopis juliflora</i> (Sw.) DC.)	24A
Mongongo, fruit (<i>Schinziophyton rautanenii</i> (Schinz) Radcl.-Sm)	24A
Monkey-bread-tree (<i>Adansonia digitata</i> L.)	24C
Monstera (<i>Monstera deliciosa</i> Liebm.)	24E
Nicobar-breadfruit (<i>Pandanus tectorius</i> Jones ex Fontana)	24C
Paho (<i>Mangifera altissima</i> Blanco)	24B
Pandanus (<i>Pandanus utilis</i> Bory)	24C
Papaya (<i>Carica papaya</i> L.)	24B
Passionflower, winged-stem (<i>Passiflora alata</i> Curtis)	24E
Passionfruit (<i>Passiflora edulis</i> Sims)	24E
Passionfruit, banana (<i>Passiflora tripartita</i> var. <i>mollissima</i> (Kunth) Holm-Niels. & P. Jorg.)	24E
Passionfruit, purple (<i>Passiflora edulis</i> Sims forma <i>edulis</i>)	24E
Passionfruit, yellow (<i>Passiflora edulis</i> Sims forma <i>flavicarpa</i> O. Deg.)	24E
Pawpaw, common (<i>Asimina triloba</i> (L.) Dunal)	24B
Pawpaw, small-flower (<i>Asimina parviflora</i> (Michx.) Dunal)	24A
Pelipisan (<i>Mangifera casturi</i> Kosterm.)	24B
Pequi (<i>Caryocar brasiliense</i> Cambess)	24B
Pequi (<i>Caryocar villosum</i> (Aubl.) Pers.)	24B
Persimmon, American (<i>Diospyros virginiana</i> L.)	24B
Pineapple (<i>Ananas comosus</i> (L.) Merr.)	24C
Pitahaya (<i>Hylocereus polyrhizus</i> (F.A.C. Weber) Britton & Rose)	24D
Pitaya (<i>Hylocereus</i> sp. including <i>H. megalanthus</i> (<i>H. ocamponis</i> and <i>H. polychizus</i>)	24D
Pitaya, amarilla (<i>Hylocereus triangularis</i> Britton & Rose)	24D
Pitaya, roja (<i>Hylocereus ocamponis</i> (Salm-Dyck) Britton & Rose)	24D
Pitaya, yellow (<i>Hylocereus megalanthus</i> (K. Schum. ex Vaupel) Ralf Bauer)	24D
Plantain (<i>Musa paradisiaca</i> L.)	24B
Pomegranate (<i>Punica granatum</i> L.)	24B
Poshite (<i>Annona liebmanniana</i> Baill.)	24B
Prickly pear, fruit (<i>Opuntia ficus-indica</i> (L.) Mill.)	24D
Prickly pear, Texas, fruit (<i>Opuntia engelmannii</i> Salm-Dyck ex Engelm. var. <i>lindheimeri</i> (Engelm.) B.D. Partitt & Pinkav)	24D
Pulasan (<i>Nephelium ramboutan-ake</i> (Labill.) Leenh.)	24C
Quandong (<i>Santalum acuminatum</i> (R. Br.) DC.)	24B
Rambutan (<i>Nephelium lappaceum</i> L.)	24C
Saguaro (<i>Carnegiea gigantea</i> (Engelm.) Britton & Rose)	24D
Sapodilla (<i>Manilkara zapota</i> (L.) P. Royen)	24C
Sapote, black (<i>Diospyros digyna</i> Jacq.)	24B
Sapote, green (<i>Pouteria viridis</i> (Pittier) Cronquist)	24B
Sapote, mamey (<i>Pouteria sapota</i> (Jacq.) H.E. Moore & Stearn)	24C
Sapote, white (<i>Casimiroa edulis</i> La Llave & Lex)	24B
Sataw (<i>Parkia speciosa</i> Hassk.)	24B
Satinleaf (<i>Chrysophyllum oliviforme</i> L.)	24A
Screw-pine (<i>Pandanus tectorius</i> Parkinson)	24B
Sierra Leone-tamarind (<i>Dialium guineense</i> Willd.)	24A
Soncoya (<i>Annona purpurea</i> Moc. & Sessé ex Dunal)	24C

Environmental Protection Agency
§ 180.41
TABLE 1—CROP GROUP 24: TROPICAL AND SUBTROPICAL FRUIT, INEDIBLE PEEL GROUP—Continued

Commodities	Related crop subgroups
Soursop (<i>Annona muricata</i> L.)	24C
Spanish lime (<i>Melicoccus bijugatus</i> Jacq.)	24A
Star apple (<i>Chrysophyllum cainito</i> L.)	24B
Sugar apple (<i>Annona squamosa</i> L.)	24C
Sun sapote (<i>Licania platypus</i> (Hemsl.) Fritsch)	24C
Tamarind-of-the-Indies (<i>Vangueria madagascariensis</i> J.F. Grmel.)	24B
Velvet tamarind (<i>Dialium indum</i> L.)	24A
Wampi (<i>Clausena lansium</i> (Lour.) Skeels)	24A
White star apple (<i>Chrysophyllum albidum</i> G. Don)	24A
Wild loquat (<i>Uapaca kirkiana</i> Müll. Arg.)	24B
Cultivars, varieties, and hybrids of these commodities.	

(iii) *Table.* The following Table 2 identifies the crop subgroups for Crop Group 24, specifies the representative commodities for each subgroup, and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 24: SUBGROUP LISTING

Representative commodities	Commodities
Crop Subgroup 24A. Tropical and Subtropical, Small fruit, inedible peel subgroup	
Lychee	Aisen; bael fruit; Burmese grape; cat's-eyes; ingá; longan; lychee; madras-thorn; manduro; matisia; mesquite; mongongo, fruit; pawpaw, small-flower; satinleaf; Sierra Leone-tamarind; Spanish lime; velvet tamarind; wampi; white star apple; cultivars, varieties, and hybrids of these commodities.
Crop Subgroup 24B. Tropical and Subtropical, Medium to large fruit, smooth, inedible peel subgroup	
Avocado, plus pomegranate or banana	Abiu; akee apple; avocado; avocado, Guatemalan; avocado, Mexican; avocado, West Indian; bacuri; banana; banana, dwarf; binjai; canistel; cupuacú; etambe; jatobá; kei apple; langsat; lanjut; lucuma; mabolo; mango; mango, horse; mango, Saipan; mangosteen; paho; papaya; pawpaw, common; pelipisan; pequi; pequia; persimmon, American; plantain; pomegranate; poshte; quandong; sapote, black; sapote, green; sapote, white; sataw; screw-pine; star apple; tamarind-of-the-Indies; wild loquat; cultivars, varieties, and hybrids of these commodities.
Crop Subgroup 24C. Tropical and Subtropical, Medium to large fruit, rough or hairy, inedible peel subgroup	
Pineapple, plus atemoya or sugar apple	Atemoya; biriba; breadfruit; champedak; cherimoya; custard apple; durian; elephant-apple; ilama; jackfruit; karuka; mammy-apple; marang; marmaladebox; monkey-bread tree; nicobar-breadfruit; pandanus; pineapple; pulasan; rambutan; sapodilla; sapote, mamay; soncoya; soursop; sugar apple; sun sapote; cultivars, varieties, and hybrids of these commodities.
Crop Subgroup 24D. Tropical and Subtropical, Cactus, inedible peel subgroup	
Dragon fruit and Prickly pear fruit	Dragon fruit; pitahaya; pitaya; pitaya, amarilla; pitaya, roja; pitaya, yellow; prickly pear, fruit; prickly pear, Texas, fruit; saguaro; cultivars, varieties, and hybrids of these commodities.
Crop Subgroup 24E. Tropical and Subtropical, Vine, inedible peel subgroup	
Passionfruit	Granadilla; granadilla, giant; monstera; passionflower, winged-stem; passionfruit; passionfruit, banana; passionfruit, purple; passionfruit, yellow; cultivars, varieties, and hybrids of these commodities.

(34) *Crop Group 25. Herb Group.*

(i) *Representative commodities.* Basil, dried leaves; Basil, fresh leaves; Mint, dried leaves; and Mint, fresh leaves.

(ii) *Commodities.* The following Table 1 lists all commodities included in Crop

Group 25 and identifies the related crop subgroups.

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 1—CROP GROUP 25: HERB GROUP

Commodities	Related crop subgroup
Agrimony, fresh leaves, <i>Agrimonia eupatoria</i> L	25A
Agrimony, dried leaves, <i>Agrimonia eupatoria</i> L	25B
Amla, fresh leaves, <i>Phyllanthus amarus</i> Schumach	25A
Amla, dried leaves, <i>Phyllanthus amarus</i> Schumach	25B
Angelica, fresh leaves, <i>Angelica archangelica</i> L	25A
Angelica, dried leaves, <i>Angelica archangelica</i> L	25B
Angelica, dahurian, fresh leaves, <i>Angelica dahurica</i> (Hoffm.) Benth & Hook. F. ex Franch. & Sav	25A
Angelica, dahurian, dried leaves, <i>Angelica dahurica</i> (Hoffm.) Benth & Hook. F. ex Franch. & Sav	25B
Applemint, fresh leaves, <i>Mentha suaveolens</i> Ehrh	25A
Applemint, dried leaves, <i>Mentha suaveolens</i> Ehrh	25B
Avarum, fresh leaves, <i>Senna auriculata</i> (L.) Roxb	25A
Avarum, dried leaves, <i>Senna auriculata</i> (L.) Roxb	25B
Balloon pea, fresh leaves, <i>Lessertia frutescens</i> (L.) Goldblatt & J. C. Manning	25A
Balloon pea, dried leaves, <i>Lessertia frutescens</i> (L.) Goldblatt & J. C. Manning	25B
Balm, fresh leaves, <i>Melissa officinalis</i> L	25A
Balm, dried leaves, <i>Melissa officinalis</i> L	25B
Barrenwort, fresh leaves, <i>Epimedium grandiflorum</i> C. Morren	25A
Barrenwort, dried leaves, <i>Epimedium grandiflorum</i> C. Morren	25B
Basil, fresh leaves, <i>Ocimum basilicum</i> L	25A
Basil, dried leaves, <i>Ocimum basilicum</i> L	25B
Basil, American, fresh leaves, <i>Ocimum americanum</i> L	25A
Basil, American, dried leaves, <i>Ocimum americanum</i> L	25B
Basil, Greek, fresh leaves, <i>Ocimum minimum</i> L	25A
Basil, Greek, dried leaves, <i>Ocimum minimum</i> L	25B
Basil, holy, fresh leaves, <i>Ocimum tenuiflorum</i> L	25A
Basil, holy, dried leaves, <i>Ocimum tenuiflorum</i> L	25B
Basil, lemon, fresh leaves, <i>Ocimum x citriodorum</i> Vis	25A
Basil, lemon, dried leaves, <i>Ocimum x citriodorum</i> Vis	25B
Basil, Russian, fresh leaves, <i>Ocimum gratissimum</i> L	25A
Basil, Russian, dried leaves, <i>Ocimum gratissimum</i> L	25B
Bay, fresh leaves, <i>Laurus nobilis</i> L	25A
Bay, dried leaves, <i>Laurus nobilis</i> L	25B
Bearberry, fresh leaves, <i>Arctostaphylos uva ursi</i> (L.) Spreng	25A
Bearberry, dried leaves, <i>Arctostaphylos uva ursi</i> (L.) Spreng	25B
Bisongrass, fresh leaves, <i>Anthoxanthum nitens</i> (Weber) Y. Schouten & Veldkamp	25A
Bisongrass, dried leaves, <i>Anthoxanthum nitens</i> (Weber) Y. Schouten & Veldkamp	25B
Blue mallow, fresh leaves, <i>Malva sylvestris</i> L	25A
Blue mallow, dried leaves, <i>Malva sylvestris</i> L	25B
Boneset, fresh leaves, <i>Eupatorium perfoliatum</i> L	25A
Boneset, dried leaves, <i>Eupatorium perfoliatum</i> L	25B
Borage, fresh leaves, <i>Borago officinalis</i> L	25A
Borage, dried leaves, <i>Borago officinalis</i> L	25B
Borage, Indian, fresh leaves, <i>Plectranthus amboinicus</i> (Lour.) Spreng	25A
Borage, Indian, dried leaves, <i>Plectranthus amboinicus</i> (Lour.) Spreng	25B
Burnet, fresh leaves, <i>Sanguisorba</i> spp	25A
Burnet, dried leaves, <i>Sanguisorba</i> spp	25B
Burnet, garden, fresh leaves, <i>Sanguisorba officinalis</i> L	25A
Burnet, garden, dried leaves, <i>Sanguisorba officinalis</i> L	25B
Burnet, salad, fresh leaves, <i>Sanguisorba minor</i> Scop	25A
Burnet, salad, dried leaves, <i>Sanguisorba minor</i> Scop	25B
Butterbur, fresh leaves, <i>Petasites hybridus</i> (L.) G. Gaertn. Et al., <i>P. frigidus</i> (L.) Fr	25A
Butterbur, dried leaves, <i>Petasites hybridus</i> (L.) G. Gaertn. Et al., <i>P. frigidus</i> (L.) Fr	25B
Calamint, fresh leaves, <i>Clinopodium</i> spp	25A
Calamint, dried leaves, <i>Clinopodium</i> spp	25B
Calamint, large-flower, fresh leaves, <i>Clinopodium grandiflorum</i> (L.) Kuntze	25A
Calamint, large-flower, dried leaves, <i>Clinopodium grandiflorum</i> (L.) Kuntze	25B
Calamint, lesser, fresh leaves, <i>Clinopodium nepeta</i> (L.) Kuntze	25A
Calamint, lesser, dried leaves, <i>Clinopodium nepeta</i> (L.) Kuntze	25B
Calendula, fresh leaves, <i>Calendula officinalis</i> L	25A
Calendula, dried leaves, <i>Calendula officinalis</i> L	25B
Caltrop, fresh leaves, <i>Tribulus terrestris</i> L	25A
Caltrop, dried leaves, <i>Tribulus terrestris</i> L	25B
Camomile (Chamomile), fresh leaves, <i>Chamaemelum</i> spp. and <i>Matricaria</i> spp	25A
Camomile (Chamomile), dried leaves, <i>Chamaemelum</i> spp. and <i>Matricaria</i> spp	25B
Camomile (Chamomile), German, fresh leaves, <i>Matricaria recutita</i> L	25A
Camomile (Chamomile), German, dried leaves, <i>Matricaria recutita</i> L	25B
Camomile (Chamomile), Roman, fresh leaves, <i>Chamaemelum nobile</i> (L.) All	25A
Camomile (Chamomile), Roman, dried leaves, <i>Chamaemelum nobile</i> (L.) All	25B
Caraway, fresh leaves, <i>Carum carvi</i> L	25A
Caraway, dried leaves, <i>Carum carvi</i> L	25B
Cat's claw, fresh leaves, <i>Uncaria tomentosa</i> (Willd.) DC., <i>U. guianensis</i> (Aubl.) J. F. Gmel	25A

Environmental Protection Agency
§ 180.41

TABLE 1—CROP GROUP 25: HERB GROUP—Continued

Commodities	Related crop subgroup
Cat's claw, dried leaves, <i>Uncaria tomentosa</i> (Willd.) DC., <i>U. guianensis</i> (Aubl.) J. F. Gmel	25B
Catnip, fresh leaves, <i>Nepeta cataria</i> L	25A
Catnip, dried leaves, <i>Nepeta cataria</i> L	25B
Catnip, Japanese, fresh leaves, <i>Schizonepeta multifida</i> (L.) Briq	25A
Catnip, Japanese, dried leaves, <i>Schizonepeta multifida</i> (L.) Briq	25B
Celandine, greater, fresh leaves, <i>Chelidonium majus</i> L	25A
Celandine, greater, dried leaves, <i>Chelidonium majus</i> L	25B
Celandine, lesser, fresh leaves, <i>Ficaria verna</i> Huds	25A
Celandine, lesser, dried leaves, <i>Ficaria verna</i> Huds	25B
Celery, dried leaves, <i>Apium graveolens</i> L. var. <i>dulce</i> (Mill.) DC	25B
Centaury, fresh leaves, <i>Centaurium erythraea</i> Rafn	25A
Centaury, dried leaves, <i>Centaurium erythraea</i> Rafn	25B
Chaste tree, fresh leaves, <i>Vitex agnus-castus</i> L	25A
Chaste tree, dried leaves, <i>Vitex agnus-castus</i> L	25B
Chaste tree, Chinese, fresh leaves, <i>Vitex negundo</i> L	25A
Chaste tree, Chinese, dried leaves, <i>Vitex negundo</i> L	25B
Chervil, dried leaves, <i>Anthriscus cerefolium</i> (L.) Hoffm	25B
Chinese blackberry, fresh leaves, <i>Rubus stipulates</i> L.H. Bailey	25A
Chinese blackberry, dried leaves, <i>Rubus stipulates</i> L.H. Bailey	25B
Chinese foxglove, fresh leaves, <i>Rehmannia glutinosa</i> (Gaertn.) Steud	25A
Chinese foxglove, dried leaves, <i>Rehmannia glutinosa</i> (Gaertn.) Steud	25B
Chive, dried leaves, <i>Allium schoenoprasum</i> L	25B
Chive, Chinese, dried leaves, <i>Allium tuberosum</i> Rottler ex Spreng	25B
Cicely, sweet, fresh leaves, <i>Myrrhis odorata</i> (L.) Scop	25A
Cicely, sweet, dried leaves, <i>Myrrhis odorata</i> (L.) Scop	25B
Cilantro, dried leaves, <i>Coriandrum sativum</i> L	25B
Clary, fresh leaves, <i>Salvia sclarea</i> L	25A
Clary, dried leaves, <i>Salvia sclarea</i> L	25B
Coriander, Bolivian, fresh leaves, <i>Porophyllum ruderale</i> (Jacq.) Cass	25A
Coriander, Bolivian, dried leaves, <i>Porophyllum ruderale</i> (Jacq.) Cass	25B
Coriander, Vietnamese, fresh leaves, <i>Persicaria odorata</i> (Lour.) Soják	25A
Coriander, Vietnamese, dried leaves, <i>Persicaria odorata</i> (Lour.) Soják	25B
Costmary, fresh leaves, <i>Tanacetum balsamita</i> L. subsp. <i>Balsamita</i>	25A
Costmary, dried leaves, <i>Tanacetum balsamita</i> L. subsp. <i>Balsamita</i>	25B
Creat, fresh leaves, <i>Andrographis paniculata</i> (Burm. f.) Wall. Ex Nees	25A
Creat, dried leaves, <i>Andrographis paniculata</i> (Burm. f.) Wall. Ex Nees	25B
Culantro, fresh leaves, <i>Eryngium foetidum</i> L	25A
Culantro, dried leaves, <i>Eryngium foetidum</i> L	25B
Curry leaf, fresh leaves, <i>Bergera koenigii</i> L	25A
Curry leaf, dried leaves, <i>Bergera koenigii</i> L	25B
Curryplant, fresh leaves, <i>Helichrysum italicum</i> (Roth) G. Don	25A
Curryplant, dried leaves, <i>Helichrysum italicum</i> (Roth) G. Don	25B
Cut leaf, fresh leaves, <i>Prostanthera incisa</i> R. Br	25A
Cut leaf, dried leaves, <i>Prostanthera incisa</i> R. Br	25B
Damiana, fresh leaves, <i>Turnera diffusa</i> Willd	25A
Damiana, dried leaves, <i>Turnera diffusa</i> Willd	25B
Dillweed, dried leaves, <i>Anethum graveolens</i> L	25B
Dokudami, fresh leaves, <i>Houttuynia cordata</i> Thunb	25A
Dokudami, dried leaves, <i>Houttuynia cordata</i> Thunb	25B
Echinacea, fresh leaves, <i>Echinacea angustifolia</i> DC., <i>Echinacea</i> spp	25A
Echinacea, dried leaves, <i>Echinacea angustifolia</i> DC., <i>Echinacea</i> spp	25B
E pazote, fresh leaves, <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clements	25A
E pazote, dried leaves, <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clements	25B
Eucommia, fresh leaves, <i>Eucommia ulmoides</i> Oliv	25A
Eucommia, dried leaves, <i>Eucommia ulmoides</i> Oliv	25B
Evening primrose, fresh leaves, <i>Oenothera biennis</i> L	25A
Evening primrose, dried leaves, <i>Oenothera biennis</i> L	25B
Eyebright, fresh leaves, <i>Euphrasia officinalis</i> L	25A
Eyebright, dried leaves, <i>Euphrasia officinalis</i> L	25B
Fennel, common, fresh leaves, <i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i> var. <i>vulgare</i>	25A
Fennel, common, dried leaves, <i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i> var. <i>vulgare</i>	25B
Fennel, Florence, dried leaves, <i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i> var. <i>azoricum</i> (Mill.) Thell	25B
Fennel, Spanish, fresh leaves, <i>Nigella</i> spp	25A
Fennel, Spanish, dried leaves, <i>Nigella</i> spp	25B
Fenugreek, fresh leaves, <i>Trigonella foenum-graecum</i> L	25A
Fenugreek, dried leaves, <i>Trigonella foenum-graecum</i> L	25B
Feverfew, fresh leaves, <i>Tanacetum parthenium</i> (L.) Sch. Bip	25A
Feverfew, dried leaves, <i>Tanacetum parthenium</i> (L.) Sch. Bip	25B
Field pennycress, fresh leaves, <i>Thlaspi arvense</i> L	25A
Field pennycress, dried leaves, <i>Thlaspi arvense</i> L	25B
Flowers, edible, fresh, multiple species	25A

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 1—CROP GROUP 25: HERB GROUP—Continued

Commodities	Related crop subgroup
Flowers, edible, dried, multiple species	25B
Fumitory, fresh leaves, <i>Fumaria officinalis</i> L	25A
Fumitory, dried leaves, <i>Fumaria officinalis</i> L	25B
Galbanum, fresh leaves, <i>Ferula gummosa</i> Boiss	25A
Galbanum, dried leaves, <i>Ferula gummosa</i> Boiss	25B
Galega, fresh leaves, <i>Galega officinalis</i> L	25A
Galega, dried leaves, <i>Galega officinalis</i> L	25B
Gambir, fresh leaves, <i>Uncaria gambir</i> (W. Hunter) Roxb	25A
Gambir, dried leaves, <i>Uncaria gambir</i> (W. Hunter) Roxb	25B
Geranium, fresh leaves, <i>Pelargonium</i> spp	25A
Geranium, dried leaves, <i>Pelargonium</i> spp	25B
Geranium, lemon, fresh leaves, <i>Pelargonium crispum</i> (P. J. Bergius) L'Her	25A
Geranium, lemon, dried leaves, <i>Pelargonium crispum</i> (P. J. Bergius) L'Her	25B
Geranium, rose, fresh leaves, <i>Pelargonium graveolens</i> L'Her	25A
Geranium, rose, dried leaves, <i>Pelargonium graveolens</i> L'Her	25B
Germander, golden, fresh leaves, <i>Teucrium polium</i> L	25A
Germander, golden, dried leaves, <i>Teucrium polium</i> L	25B
Goldenrod, European, fresh leaves, <i>Solidago virgaurea</i> Scop	25A
Goldenrod, European, dried leaves, <i>Solidago virgaurea</i> Scop	25B
Goldenseal, fresh leaves, <i>Hydrastis canadensis</i> L	25A
Goldenseal, dried leaves, <i>Hydrastis canadensis</i> L	25B
Gotu kola, fresh leaves, <i>Centella asiatica</i> (L.) Urb	25A
Gotu kola, dried leaves, <i>Centella asiatica</i> (L.) Urb	25B
Greater periwinkle, fresh leaves, <i>Vinca major</i> L	25A
Greater periwinkle, dried leaves, <i>Vinca major</i> L	25B
Guayusa, fresh leaves, <i>Ilex guayusa</i> Loes	25A
Guayusa, dried leaves, <i>Ilex guayusa</i> Loes	25B
Gumweed, fresh leaves, <i>Grindelia camporum</i> Greene	25A
Gumweed, dried leaves, <i>Grindelia camporum</i> Greene	25B
Gymnema, fresh leaves, <i>Gymnema sylvestre</i> (Retz.) Schult	25A
Gymnema, dried leaves, <i>Gymnema sylvestre</i> (Retz.) Schult	25B
Gypsywort, fresh leaves, <i>Lycopus europaeus</i> L	25A
Gypsywort, dried leaves, <i>Lycopus europaeus</i> L	25B
Hawthorn, fresh leaves, <i>Crataegus monogyna</i> Jacq.; <i>Crataegus</i> spp	25A
Hawthorn, dried leaves, <i>Crataegus monogyna</i> Jacq.; <i>Crataegus</i> spp	25B
Heal-all, fresh leaves, <i>Prunella vulgaris</i> L	25A
Heal-all, dried leaves, <i>Prunella vulgaris</i> L	25B
Hemp nettle, fresh leaves, <i>Galeopsis segetum</i> Neck., <i>Galeopsis</i> spp	25A
Hemp nettle, dried leaves, <i>Galeopsis segetum</i> Neck., <i>Galeopsis</i> spp	25B
Honewort, fresh leaves, <i>Cryptotaenia canadensis</i> (L.) DC	25A
Honewort, dried leaves, <i>Cryptotaenia canadensis</i> (L.) DC	25B
Honeybush, fresh leaves, <i>Cyclopia genistoides</i> (L.) R. Br	25A
Honeybush, dried leaves, <i>Cyclopia genistoides</i> (L.) R. Br	25B
Horehound, fresh leaves, <i>Marrubium vulgare</i> L	25A
Horehound, dried leaves, <i>Marrubium vulgare</i> L	25B
Horsemint, fresh leaves, <i>Mentha longifolia</i> (L.) Huds	25A
Horsemint, dried leaves, <i>Mentha longifolia</i> (L.) Huds	25B
Horsetail, fresh leaves, <i>Equisetum arvense</i> L., <i>E. telmateia</i> Ehrh	25A
Horsetail, dried leaves, <i>Equisetum arvense</i> L., <i>E. telmateia</i> Ehrh	25B
Hyssop, fresh leaves, <i>Hyssopus officinalis</i> L	25A
Hyssop, dried leaves, <i>Hyssopus officinalis</i> L	25B
Hyssop, anise, fresh leaves, <i>Agastache foeniculum</i> (Pursh) Kuntze	25A
Hyssop, anise, dried leaves, <i>Agastache foeniculum</i> (Pursh) Kuntze	25B
Indian tobacco, fresh leaves, <i>Lobelia inflata</i> L	25A
Indian tobacco, dried leaves, <i>Lobelia inflata</i> L	25B
Ironwort, fresh leaves, <i>Sideritis scardica</i> Griseb., <i>Sideritis</i> spp	25A
Ironwort, dried leaves, <i>Sideritis scardica</i> Griseb., <i>Sideritis</i> spp	25B
Ivy, fresh leaves, <i>Hedera helix</i> L	25A
Ivy, dried leaves, <i>Hedera helix</i> L	25B
Jamaica dogwood, fresh leaves, <i>Piscidia piscipula</i> (L.) Sarg	25A
Jamaica dogwood, dried leaves, <i>Piscidia piscipula</i> (L.) Sarg	25B
Jasmine, dried leaves, <i>Jasminum officinale</i> L., <i>J. odoratissimum</i> L	25B
Jasmine, fresh leaves, <i>Jasminum officinale</i> L., <i>J. odoratissimum</i> L	25A
Labrador tea, fresh leaves, <i>Rhododendron groenlandicum</i> (Oeder) Kron & Judd, <i>R. tomentosum</i> Harmaja	25A
Labrador tea, dried leaves, <i>Rhododendron groenlandicum</i> (Oeder) Kron & Judd, <i>R. tomentosum</i> Harmaja	25B
Lavender, fresh leaves, <i>Lavandula angustifolia</i> Mill	25A
Lavender, dried leaves, <i>Lavandula angustifolia</i> Mill	25B
Lemon verbena, fresh leaves, <i>Aloysia citrodora</i> Palau	25A
Lemon verbena, dried leaves, <i>Aloysia citrodora</i> Palau	25B
Lemongrass, fresh leaves, <i>Cymbopogon citratus</i> (DC.) Stapf	25A
Lemongrass, dried leaves, <i>Cymbopogon citratus</i> (DC.) Stapf	25B

Environmental Protection Agency
§ 180.41

TABLE 1—CROP GROUP 25: HERB GROUP—Continued

Commodities	Related crop subgroup
Lovage, fresh leaves, <i>Levisticum officinale</i> W.D.J. Koch	25A
Lovage, dried leaves, <i>Levisticum officinale</i> W.D.J. Koch	25B
Love-in-a-mist, fresh leaves, <i>Nigella damascena</i> L	25A
Love-in-a-mist, dried leaves, <i>Nigella damascena</i> L	25B
Mamaki, fresh leaves, <i>Pipturus arborescens</i> (Link) C. B. Rob	25A
Mamaki, dried leaves, <i>Pipturus arborescens</i> (Link) C. B. Rob	25B
Marigold, fresh leaves, <i>Tagetes</i> spp	25A
Marigold, dried leaves, <i>Tagetes</i> spp	25B
Marigold, African, fresh leaves, <i>Tagetes erecta</i> L	25A
Marigold, African, dried leaves, <i>Tagetes erecta</i> L	25B
Marigold, Aztec, fresh leaves, <i>Tagetes minuta</i> L	25A
Marigold, Aztec, dried leaves, <i>Tagetes minuta</i> L	25B
Marigold, French, fresh leaves, <i>Tagetes patula</i> L	25A
Marigold, French, dried leaves, <i>Tagetes patula</i> L	25B
Marigold, Irish lace, fresh leaves, <i>Tagetes filifolia</i> Lag	25A
Marigold, Irish lace, dried leaves, <i>Tagetes filifolia</i> Lag	25B
Marigold, licorice, fresh leaves, <i>Tagetes micrantha</i> Cav	25A
Marigold, licorice, dried leaves, <i>Tagetes micrantha</i> Cav	25B
Marigold, Mexican mint, fresh leaves, <i>Tagetes lucida</i> Cav	25A
Marigold, Mexican mint, dried leaves, <i>Tagetes lucida</i> Cav	25B
Marigold, signet, fresh leaves, <i>Tagetes tenuifolia</i> Cav	25A
Marigold, signet, dried leaves, <i>Tagetes tenuifolia</i> Cav	25B
Marjoram, fresh leaves, <i>Origanum</i> spp	25A
Marjoram, dried leaves, <i>Origanum</i> spp	25B
Marjoram, pot, fresh leaves, <i>Origanum onites</i> L	25A
Marjoram, pot, dried leaves, <i>Origanum onites</i> L	25B
Marjoram, sweet, fresh leaves, <i>Origanum majorana</i> L	25A
Marjoram, sweet, dried leaves, <i>Origanum majorana</i> L	25B
Marshmallow, fresh leaves, <i>Althaea officinalis</i> L	25A
Marshmallow, dried leaves, <i>Althaea officinalis</i> L	25B
Meadowsweet, fresh leaves, <i>Filipendula ulmaria</i> (L.) Maxim	25A
Meadowsweet, dried leaves, <i>Filipendula ulmaria</i> (L.) Maxim	25B
Mint, fresh leaves, <i>Mentha</i> spp	25A
Mint, dried leaves, <i>Mentha</i> spp	25B
Mint, corn, fresh leaves, <i>Mentha arvensis</i> L	25A
Mint, corn, dried leaves, <i>Mentha arvensis</i> L	25B
Mint, Korean, fresh leaves, <i>Agastache rugosa</i> (Fisch. & C.A. Mey.) Kun	25A
Mint, Korean, dried leaves, <i>Agastache rugosa</i> (Fisch. & C.A. Mey.) Kun	25B
Monarda, fresh leaves, <i>Monarda</i> spp	25A
Monarda, dried leaves, <i>Monarda</i> spp	25B
Moringa, fresh leaves, <i>Moringa oleifera</i> L	25A
Moringa, dried leaves, <i>Moringa oleifera</i> L	25B
Motherwort, fresh leaves, <i>Leonurus cardiaca</i> L	25A
Motherwort, dried leaves, <i>Leonurus cardiaca</i> L	25B
Mountainmint, fresh leaves, <i>Pycnanthemum</i> spp	25A
Mountainmint, dried leaves, <i>Pycnanthemum</i> spp	25B
Mountainmint, clustered, fresh leaves, <i>Pycnanthemum muticum</i> (Michx.) Pers	25A
Mountainmint, clustered, dried leaves, <i>Pycnanthemum muticum</i> (Michx.) Pers	25B
Mountainmint, hoary, fresh leaves, <i>Pycnanthemum incanum</i> Michx	25A
Mountainmint, hoary, dried leaves, <i>Pycnanthemum incanum</i> Michx	25B
Mountainmint, Virginia, fresh leaves, <i>Pycnanthemum virginianum</i> (L.) T. Durand & B.D. Jacks. Ex B.L. Rob. & Fernald	25A
Mountainmint, Virginia, dried leaves, <i>Pycnanthemum virginianum</i> (L.) T. Durand & B.D. Jacks. ex B.L. Rob. & Fernald	25B
Mountainmint, whorled, fresh leaves, <i>Pycnanthemum verticillatum</i> (Michx.) Pers	25A
Mountainmint, whorled, dried leaves, <i>Pycnanthemum verticillatum</i> (Michx.) Pers	25B
Mugwort, fresh leaves, <i>Artemisia vulgaris</i> L	25A
Mugwort, dried leaves, <i>Artemisia vulgaris</i> L	25B
Mulberry, white, fresh leaves, <i>Morus alba</i> L	25A
Mulberry, white, dried leaves, <i>Morus alba</i> L	25B
Mullein, fresh leaves, <i>Verbascum densiflorum</i> Bertol., <i>Verbascum</i> spp	25A
Mullein, dried leaves, <i>Verbascum densiflorum</i> Bertol., <i>Verbascum</i> spp	25B
Mustard, hedge, fresh leaves, <i>Sisymbrium officinale</i> (L.) Scop	25A
Mustard, hedge, dried leaves, <i>Sisymbrium officinale</i> (L.) Scop	25B
Nasturtium, fresh leaves, <i>Tropaeolum</i> spp	25A
Nasturtium, dried leaves, <i>Tropaeolum</i> spp	25B
Nasturtium, bush, fresh leaves, <i>Tropaeolum minus</i> L	25A
Nasturtium, bush, dried leaves, <i>Tropaeolum minus</i> L	25B
Nasturtium, garden, fresh leaves, <i>Tropaeolum majus</i> L	25A
Nasturtium, garden, dried leaves, <i>Tropaeolum majus</i> L	25B
Nettle, stinging, fresh leaves, <i>Urtica dioica</i> L	25A

§ 180.41

40 CFR Ch. I (7-1-21 Edition)

TABLE 1—CROP GROUP 25: HERB GROUP—Continued

Commodities	Related crop subgroup
Nettle, stinging, dried leaves, <i>Urtica dioica</i> L	25B
Oregano, fresh leaves, <i>Origanum vulgare</i> L	25A
Oregano, dried leaves, <i>Origanum vulgare</i> L	25B
Oregano, Mexican, fresh leaves, <i>Lippia graveolens</i> Kunth	25A
Oregano, Mexican, dried leaves, <i>Lippia graveolens</i> Kunth	25B
Oregano, Puerto Rico, fresh leaves, <i>Lippia micromera</i> Schauer	25A
Oregano, Puerto Rico, dried leaves, <i>Lippia micromera</i> Schauer	25B
Oswego tea, fresh leaves, <i>Monarda didyma</i> L	25A
Oswego tea, dried leaves, <i>Monarda didyma</i> L	25B
Pandan leaf, fresh leaves, <i>Pandanus amaryllifolius</i> Roxb	25A
Pandan leaf, dried leaves, <i>Pandanus amaryllifolius</i> Roxb	25B
Pansy, fresh leaves, <i>Viola tricolor</i> L	25A
Pansy, dried leaves, <i>Viola tricolor</i> L	25B
Paracress, fresh leaves, <i>Acmella oleracea</i> (L.) R.K. Jansen	25A
Paracress, dried leaves, <i>Acmella oleracea</i> (L.) R.K. Jansen	25B
Parsley, dried leaves, <i>Petroselinum crispum</i> (Mill.) Fuss	25B
Partridge berry, fresh leaves, <i>Mitchella repens</i> L	25A
Partridge berry, dried leaves, <i>Mitchella repens</i> L	25B
Patchouli, fresh leaves, <i>Pogostemon cablin</i> (Blanco) Benth	25A
Patchouli, dried leaves, <i>Pogostemon cablin</i> (Blanco) Benth	25B
Pennyroyal, fresh leaves, <i>Mentha pulegium</i> L	25A
Pennyroyal, dried leaves, <i>Mentha pulegium</i> L	25B
Pepper leaf, black, fresh leaves, <i>Piper nigrum</i> L	25A
Pepper leaf, black, dried leaves, <i>Piper nigrum</i> L	25B
Peppermint, fresh leaves, <i>Mentha X piperita</i> L	25A
Peppermint, dried leaves, <i>Mentha X piperita</i> L	25B
Perilla, fresh leaves, <i>Perilla frutescens</i> (L.) Britton	25A
Perilla, dried leaves, <i>Perilla frutescens</i> (L.) Britton	25B
Pill bearing spurge, fresh leaves, <i>Euphorbia hirta</i> L	25A
Pill bearing spurge, dried leaves, <i>Euphorbia hirta</i> L	25B
Pipsissewa, fresh leaves, <i>Chimaphila umbellata</i> (L.) W. P. C. Barton	25A
Pipsissewa, dried leaves, <i>Chimaphila umbellata</i> (L.) W. P. C. Barton	25B
Plantain, common, fresh leaves, <i>Plantago major</i> L	25A
Plantain, common, dried leaves, <i>Plantago major</i> L	25B
Rooibos, fresh leaves, <i>Aspalathus linearis</i> (Burm. f.) R. Dahlgren	25A
Rooibos, dried leaves, <i>Aspalathus linearis</i> (Burm. f.) R. Dahlgren	25B
Rose, fresh leaves, <i>Rosa</i> spp	25A
Rose, dried leaves, <i>Rosa</i> spp	25B
Rosemary, fresh leaves, <i>Rosmarinus officinalis</i> L	25A
Rosemary, dried leaves, <i>Rosmarinus officinalis</i> L	25B
Sage, fresh leaves, <i>Salvia officinalis</i> L	25A
Sage, dried leaves, <i>Salvia officinalis</i> L	25B
Sage, Greek, fresh leaves, <i>Salvia fruticosa</i> Mill	25A
Sage, Greek, dried leaves, <i>Salvia fruticosa</i> Mill	25B
Sage, Spanish, fresh leaves, <i>Salvia lavandulifolia</i> Vahl	25A
Sage, Spanish, dried leaves, <i>Salvia lavandulifolia</i> Vahl	25B
Sage, white, fresh leaves, <i>Salvia apiana</i> Jeps	25A
Sage, white, dried leaves, <i>Salvia apiana</i> Jeps	25B
Savory, summer, fresh leaves, <i>Satureja hortensis</i> L	25A
Savory, summer, dried leaves, <i>Satureja hortensis</i> L	25B
Savory, winter, fresh leaves, <i>Satureja montana</i> L	25A
Savory, winter, dried leaves, <i>Satureja montana</i> L	25B
Senna, fresh leaves, <i>Senna alexandrina</i> Mill	25A
Senna, dried leaves, <i>Senna alexandrina</i> Mill	25B
Siberian fir, fresh leaves, <i>Abies sibirica</i> Ledeb	25A
Siberian fir, dried leaves, <i>Abies sibirica</i> Ledeb	25B
Skullcap, fresh leaves, <i>Scutellaria lateriflora</i> L	25A
Skullcap, dried leaves, <i>Scutellaria lateriflora</i> L	25B
Small flower willow head, fresh leaves, <i>Epilobium parviflorum</i> Schreb	25A
Small flower willow head, dried leaves, <i>Epilobium parviflorum</i> Schreb	25B
Sorrel, fresh leaves, <i>Rumex</i> spp	25A
Sorrel, dried leaves, <i>Rumex</i> spp	25B
Sorrel, French, fresh leaves, <i>Rumex scutatus</i> L	25A
Sorrel, French, dried leaves, <i>Rumex scutatus</i> L	25B
Sorrel, garden, fresh leaves, <i>Rumex acetosa</i> L	25A
Sorrel, garden, dried leaves, <i>Rumex acetosa</i> L	25B
Southernwood, fresh leaves, <i>Artemisia abrotanum</i> L	25A
Southernwood, dried leaves, <i>Artemisia abrotanum</i> L	25B
Spearmint, fresh leaves, <i>Mentha spicata</i> L	25A
Spearmint, dried leaves, <i>Mentha spicata</i> L	25B
Spearmint, Scotch, fresh leaves, <i>Mentha x gracilis</i> Sole	25A

Environmental Protection Agency
§ 180.41

TABLE 1—CROP GROUP 25: HERB GROUP—Continued

Commodities	Related crop subgroup
Spearmint, Scotch, dried leaves, <i>Mentha x gracilis</i> Sole	25B
Spilanthes, fresh leaves, <i>Blainvillea acmella</i> (L.) Philipson	25A
Spilanthes, dried leaves, <i>Blainvillea acmella</i> (L.) Philipson	25B
Spotted beebalm, fresh leaves, <i>Monarda punctata</i> L	25A
Spotted beebalm, dried leaves, <i>Monarda punctata</i> L	25B
St John's Wort, fresh leaves, <i>Hypericum perforatum</i> L	25A
St John's Wort, dried leaves, <i>Hypericum perforatum</i> L	25B
Stevia, fresh leaves, <i>Stevia rebaudiana</i> (Bertoni) Bertoni	25A
Stevia, dried leaves, <i>Stevia rebaudiana</i> (Bertoni) Bertoni	25B
Stoneroot, fresh leaves, <i>Collinsonia canadensis</i> L	25A
Stoneroot, dried leaves, <i>Collinsonia canadensis</i> L	25B
Swamp leaf, fresh leaves, <i>Linnophila chinensis</i> (Osbeck) Merr	25A
Swamp leaf, dried leaves, <i>Linnophila chinensis</i> (Osbeck) Merr	25B
Tansy, fresh leaves, <i>Tanacetum vulgare</i> L	25A
Tansy, dried leaves, <i>Tanacetum vulgare</i> L	25B
Tarragon, fresh leaves, <i>Artemisia dracunculus</i> L	25A
Tarragon, dried leaves, <i>Artemisia dracunculus</i> L	25B
Thuja, fresh leaves, <i>Thuja occidentalis</i> L	25A
Thuja, dried leaves, <i>Thuja occidentalis</i> L	25B
Thyme, fresh leaves, <i>Thymus</i> spp	25A
Thyme, dried leaves, <i>Thymus</i> spp	25B
Thyme, creeping, fresh leaves, <i>Thymus serpyllum</i> L	25A
Thyme, creeping, dried leaves, <i>Thymus serpyllum</i> L	25B
Thyme, lemon, fresh leaves, <i>Thymus ×citriodorus</i> (Pers.) Schreb	25A
Thyme, lemon, dried leaves, <i>Thymus ×citriodorus</i> (Pers.) Schreb	25B
Thyme, mastic, fresh leaves, <i>Thymus mastichina</i> (L.) L	25A
Thyme, mastic, dried leaves, <i>Thymus mastichina</i> (L.) L	25B
Toon, Chinese, fresh leaves, <i>Toona sinensis</i> (A. Juss.) M. Roem	25A
Toon, Chinese, dried leaves, <i>Toona sinensis</i> (A. Juss.) M. Roem	25B
Toothed clubmoss, fresh leaves, <i>Huperzia serrata</i> (Thunb.) Trevis	25A
Toothed clubmoss, dried leaves, <i>Huperzia serrata</i> (Thunb.) Trevis	25B
Trailing arbutus, fresh leaves, <i>Epigaea repens</i> L	25A
Trailing arbutus, dried leaves, <i>Epigaea repens</i> L	25B
Vasaka, fresh leaves, <i>Justicia adhatoda</i> L	25A
Vasaka, dried leaves, <i>Justicia adhatoda</i> L	25B
Verbena, blue, fresh leaves, <i>Verbena hastata</i> L	25A
Verbena, blue, dried leaves, <i>Verbena hastata</i> L	25B
Veronica, fresh leaves, <i>Veronica officinalis</i> L	25A
Veronica, dried leaves, <i>Veronica officinalis</i> L	25B
Violet, fresh leaves, <i>Viola odorata</i> L	25A
Violet, dried leaves, <i>Viola odorata</i> L	25B
Watermint, fresh leaves, <i>Mentha aquatica</i> L	25A
Watermint, dried leaves, <i>Mentha aquatica</i> L	25B
Waterpepper, fresh leaves, <i>Persicaria hydropiper</i> (L.) Delarbre	25A
Waterpepper, dried leaves, <i>Persicaria hydropiper</i> (L.) Delarbre	25B
Wild bergamot, fresh leaves, <i>Monarda fistulosa</i> L	25A
Wild bergamot, dried leaves, <i>Monarda fistulosa</i> L	25B
Wintergreen, fresh leaves, <i>Gaultheria procumbens</i> L	25A
Wintergreen, dried leaves, <i>Gaultheria procumbens</i> L	25B
Wood betony, fresh leaves, <i>Stachys officinalis</i> (L.) Trevis	25A
Wood betony, dried leaves, <i>Stachys officinalis</i> (L.) Trevis	25B
Woodruff, fresh leaves, <i>Galium odoratum</i> (L.) Scop	25A
Woodruff, dried leaves, <i>Galium odoratum</i> (L.) Scop	25B
Wormwood, fresh leaves, <i>Artemisia absinthium</i> L	25A
Wormwood, dried leaves, <i>Artemisia absinthium</i> L	25B
Wormwood, Roman, fresh leaves, <i>Artemisia pontica</i> L	25A
Wormwood, Roman, dried leaves, <i>Artemisia pontica</i> L	25B
Yarrow, fresh leaves, <i>Achillea millefolium</i> L	25A
Yarrow, dried leaves, <i>Achillea millefolium</i> L	25B
Yellow gentian, fresh leaves, <i>Gentiana lutea</i> L	25A
Yellow gentian, dried leaves, <i>Gentiana lutea</i> L	25B
Yerba santa, fresh leaves, <i>Eriodictyon californicum</i> (Hook. & Arn.) Torr	25A
Yerba santa, dried leaves, <i>Eriodictyon californicum</i> (Hook. & Arn.) Torr	25B
Yomogi, fresh leaves, <i>Artemisia princeps</i> L	25A
Yomogi, dried leaves, <i>Artemisia princeps</i> L	25B
Cultivars, varieties, and hybrids of these commodities

§ 180.41**40 CFR Ch. I (7-1-21 Edition)**

(iii) *Crop subgroups.* The following Table 2 identifies the crop subgroups for Crop Group 25, specifies the representative commodities for each subgroup, and lists all the commodities included in each subgroup.

TABLE 2—CROP GROUP 25: SUBGROUP LISTING

Representative commodities	Commodities
Crop subgroup 25A. Herb fresh leaves subgroup	
Basil, fresh leaves and mint, fresh leaves.	Agrimony, fresh leaves; Amla, fresh leaves; Angelica, fresh leaves; Angelica, dahurian, fresh leaves; Applemint, fresh leaves; Avarum, fresh leaves; Balloon pea, fresh leaves; Balm, fresh leaves; Barrenwort, fresh leaves; Basil, fresh leaves; Basil, American, fresh leaves; Basil, Greek, fresh leaves; Basil, holy, fresh leaves; Basil, lemon, fresh leaves; Basil, Russian, fresh leaves; Bay, fresh leaves; Bearberry, fresh leaves; Bisongrass, fresh leaves; Blue mallow, fresh leaves; Boneset, fresh leaves; Borage, fresh leaves; Borage, Indian, fresh leaves; Burnet, fresh leaves; Burnet, garden, fresh leaves; Burnet, salad, fresh leaves; Butterbur, fresh leaves; Calamint, fresh leaves; Calamint, large-flower, fresh leaves; Calamint, lesser, fresh leaves; Calendula, fresh leaves; Caltrop, fresh leaves; Camomile (Chamomile), fresh leaves; Camomile (Chamomile), German, fresh leaves; Camomile (Chamomile), Roman, fresh leaves; Caraway, fresh leaves; Cat's claw, fresh leaves; Catnip, fresh leaves; Catnip, Japanese, fresh leaves; Celadine, greater, fresh leaves; Celadine, lesser, fresh leaves; Centaury, fresh leaves; Chaste tree, fresh leaves; Chaste tree, Chinese, fresh leaves; Chinese blackberry, fresh leaves; Chinese foxglove, fresh leaves; Cicely, sweet, fresh leaves; Clary, fresh leaves; Coriander, Bolivian, fresh leaves; Coriander, Vietnamese, fresh leaves; Costmary, fresh leaves; Creat, fresh leaves; Culantro, fresh leaves; Curry leaf, fresh leaves; Curryplant, fresh leaves; Cut leaf, fresh leaves; Damiana, fresh leaves; Dokudami, fresh leaves; Echinacea, fresh leaves; Epazote, fresh leaves; Eucommia, fresh leaves; Evening primrose, fresh leaves; Eyebright, fresh leaves; Fennel, common, fresh leaves; Fennel, Spanish, fresh leaves; Fenugreek, fresh leaves; Feverfew, fresh leaves; Field pennycress, fresh leaves; Flowers, edible, fresh; Fumitory, fresh leaves; Galbanum, fresh leaves; Galega, fresh leaves; Gambir, fresh leaves; Geranium, fresh leaves; Geranium, lemon, fresh leaves; Geranium, rose, fresh leaves; Germander, golden, fresh leaves; Goldenrod, European, fresh leaves; Goldenseal, fresh leaves; Gotu kola, fresh leaves; Greater periwinkle, fresh leaves; Guayusa, fresh leaves; Gumweed, fresh leaves; Gymnema, fresh leaves; Gypswort, fresh leaves; Hawthorn, fresh leaves; Heal-all, fresh leaves; Hemp nettle, fresh leaves; Honewort, fresh leaves; Honeybush, fresh leaves; Horehound, fresh leaves; Horsemint, fresh leaves; Horsetail, fresh leaves; Hyssop, fresh leaves; Hyssop, anise, fresh leaves; Indian tobacco, fresh leaves; Ironwort, fresh leaves; Ivy, fresh leaves; Jamaica dogwood, fresh leaves; Jasmine, fresh leaves; Labrador tea, fresh leaves; Lavender, fresh leaves; Lemon verbena, fresh leaves; Lemongrass, fresh leaves; Lovage, fresh leaves; Love-in-a-mist, fresh leaves; Mamaki, fresh leaves; Marigold, fresh leaves; Marigold, African, fresh leaves; Marigold, Aztec, fresh leaves; Marigold, French, fresh leaves; Marigold, Irish lace, fresh leaves; Marigold, licorice, fresh leaves; Marigold, Mexican mint, fresh leaves; Marigold, signet, fresh leaves; Marjoram, fresh leaves; Marjoram, pot, fresh leaves; Marjoram, sweet, fresh leaves; Marshmallow, fresh leaves; Meadowsweet, fresh leaves; Mint, fresh leaves; Mint, corn, fresh leaves; Mint, Korean, fresh leaves; Monarda, fresh leaves; Moringa, fresh leaves; Motherwort, fresh leaves; Mountaintmint, fresh leaves; Mountaintmint, clustered, fresh leaves; Mountaintmint, hoary, fresh leaves; Mountaintmint, Virginia, fresh leaves; Mountaintmint, whorled, fresh leaves; Mugwort, fresh leaves; Mulberry, white, fresh leaves; Mullein, fresh leaves; Mustard, hedge, fresh leaves; Nasturtium, fresh leaves; Nasturtium, bush, fresh leaves; Nasturtium, garden, fresh leaves; Nettle, stinging, fresh leaves; Oregano, fresh leaves; Oregano, Mexican, fresh leaves; Oregano, Puerto Rico, fresh leaves; Oswego tea, fresh leaves; Pandan leaf, fresh leaves; Pansy, fresh leaves; Paracress, fresh leaves; Partridge berry, fresh leaves; Patchouli, fresh leaves; Pennyroyal, fresh leaves; Pepper leaf, black, fresh leaves; Peppermint, fresh leaves; Perilla, fresh leaves; Pill bearing spurge, fresh leaves; Pipsissewa, fresh leaves; Plantain, common, fresh leaves; Rooibos, fresh leaves; Rose, fresh leaves; Rosemary, fresh leaves; Sage, fresh leaves; Sage, Greek, fresh leaves; Sage, Spanish, fresh leaves; Sage, white, fresh leaves; Savory, summer, fresh leaves; Savory, winter, fresh leaves; Senna, fresh leaves; Siberian fir, fresh leaves; Skullcap, fresh leaves; Small flower willow head, fresh leaves; Sorrel, fresh leaves; Sorrel, French, fresh leaves; Sorrel, garden, fresh leaves; Southernwood, fresh leaves; Spearmint, fresh leaves; Spearmint, Scotch, fresh leaves; Spilanthes, fresh leaves; Spotted bee balm, fresh leaves; St. John's Wort, fresh leaves; Stevia, fresh leaves; Stoneroot, fresh leaves; Swamp leaf, fresh leaves; Tansy, fresh leaves; Tarragon, fresh leaves; Thuja, fresh leaves; Thyme, fresh leaves; Thyme, creeping, fresh leaves; Thyme, lemon, fresh leaves; Thyme, mastic, fresh leaves; Toon, Chinese, fresh leaves; Toothed clubmoss, fresh leaves; Trailing arbutus, fresh leaves; Vasaka, fresh leaves; Verbenas, blue, fresh leaves; Veronica, fresh leaves; Violet, fresh leaves; Watermint, fresh leaves; Waterpepper, fresh leaves; Wild bergamot, fresh leaves; Wintergreen, fresh leaves; Wood betony, fresh leaves; Woodruff, fresh leaves; Wormwood, fresh leaves; Wormwood, Roman, fresh leaves; Yarrow, fresh leaves; Yellow gentian, fresh leaves; Yerba santa, fresh leaves; Yomogi, fresh leaves; Cultivars, varieties, and hybrids of these commodities.

Environmental Protection Agency
§ 180.41

TABLE 2—CROP GROUP 25: SUBGROUP LISTING—Continued

Representative commodities	Commodities
Crop subgroup 25B. Herb dried leaves subgroup	
Basil, dried leaves and mint, dried leaves.	Agrimony, dried leaves; Amla, dried leaves; Angelica, dried leaves; Angelica, dahurian, dried leaves; Applemint, dried leaves; Avarum, dried leaves; Balloon pea, dried leaves; Balm, dried leaves; Barrenwort, dried leaves; Basil, dried leaves; Basil, American, dried leaves; Basil, Greek, dried leaves; Basil, holy, dried leaves; Basil, lemon, dried leaves; Basil, Russian, dried leaves; Bay, dried leaves; Bearberry, dried leaves; Bisongrass, dried leaves; Blue mallow, dried leaves; Boneset, dried leaves; Borage, dried leaves; Borage, Indian, dried leaves; Burnet, dried leaves; Burnet, garden, dried leaves; Burnet, salad, dried leaves; Butterbur, dried leaves; Calamint, dried leaves; Calamint, large-flower, dried leaves; Calamint, lesser, dried leaves; Calendula, dried leaves; Caltrop, dried leaves; Camomile (Chamomile), dried leaves; Camomile (Chamomile), German, dried leaves; Camomile (Chamomile), Roman, dried leaves; Caraway, dried leaves; Cat's claw, dried leaves; Catnip, dried leaves; Catnip, Japanese, dried leaves; Celandine, greater, dried leaves; Celandine, lesser, dried leaves; Celery, dried leaves; Centaury, dried leaves; Chaste tree, dried leaves; Chaste tree, Chinese, dried leaves; Chervil, dried leaves; Chinese blackberry, dried leaves; Chinese foxglove, dried leaves; Chive, dried leaves; Chive, Chinese, dried leaves; Cicely, sweet, dried leaves; Cilantro, dried leaves; Clary, dried leaves; Coriander, Bolivian, dried leaves; Coriander, Vietnamese, dried leaves; Costmary, dried leaves; Creat, dried leaves; Culantro, dried leaves; Curry leaf, dried leaves; Curryplant, dried leaves; Cut leaf, dried leaves; Damiana, dried leaves; Dillweed, dried leaves; Dokudami, dried leaves; Echinacea, dried leaves; Epazote, dried leaves; Eucommia, dried leaves; Evening primrose, dried leaves; Eyebright, dried leaves; Fennel, common, dried leaves; Fennel, Florence, dried leaves; Fenugreek, dried leaves; Feverfew, dried leaves; Field pennycress, dried leaves; Flowers, edible, dried; Fumitory, dried leaves; Galbanum, dried leaves; Galega, dried leaves; Gambir, dried leaves; Geranium, dried leaves; Geranium, lemon, dried leaves; Geranium, rose, dried leaves; Germander, golden, dried leaves; Goldenrod, European, dried leaves; Goldenseal, dried leaves; Gotu kola, dried leaves; Greater periwinkle, dried leaves; Guayusa, dried leaves; Gumweed, dried leaves; Gymnema, dried leaves; Gypsophila, dried leaves; Hawthorn, dried leaves; Heal-all, dried leaves; Hemp nettle, dried leaves; Honewort, dried leaves; Honeybush, dried leaves; Horehound, dried leaves; Horsemint, dried leaves; Horsetail, dried leaves; Hyssop, dried leaves; Hyssop, anise, dried leaves; Indian tobacco, dried leaves; Ironwort, dried leaves; Ivy, dried leaves; Jamaica dogwood, dried leaves; Jasmine, dried leave; Labrador tea, dried leaves; Lavender, dried leaves; Lemon verbena, dried leaves; Lemongrass, dried leaves; Lovage, dried leaves; Love-in-a-mist, dried leaves; Mamaki, dried leaves; Marigold, dried leaves; Marigold, African, dried leaves; Marigold, Aztec, dried leaves; Marigold, French, dried leaves; Marigold, Irish lace, dried leaves; Marigold, licorice, dried leaves; Marigold, Mexican mint, dried leaves; Marigold, signet, dried leaves; Marjoram, dried leaves; Marjoram, sweet, dried leaves; Marshmallow, dried leaves; Meadowsweet, dried leaves; Mint, dried leaves; Mint, corn, dried leaves; Mint, Korean, dried leaves; Monarda, dried leaves; Moringa, dried leaves; Motherwort, dried leaves; Mountainmint, dried leaves; Mountainmint, clustered, dried leaves; Mountainmint, hoary, dried leaves; Mountainmint, Virginia, dried leaves; Mountainmint, whorled, dried leaves; Mugwort, dried leaves; Mulberry, white, dried leaves; Mullein, dried leaves; Mustard, hedge, dried leaves; Nasturtium, dried leaves; Nasturtium, bush, dried leaves; Nasturtium, garden, dried leaves; Nettle, stinging, dried leaves; Oregano, dried leaves; Oregano, Mexican, dried leaves; Oregano, Puerto Rico, dried leaves; Oswego tea, dried leaves; Pandan leaf, dried leaves; Pansy, dried leaves; Paracress, dried leaves; Parsley, dried leaves; Partridge berry, dried leaves; Patchouli, dried leaves; Pennyroyal, dried leaves; Pepper leaf, black, dried leaves; Peppermint, dried leaves; Perilla, dried leaves; Pill bearing spurge, dried leaves; Pipsissewa, dried leaves; Plantain, common, dried leaves; Rooibos, dried leaves; Rose, dried leaves; Rosemary, dried leaves; Sage, dried leaves; Sage, Greek, dried leaves; Sage, Spanish, dried leaves; Sage, white, dried leaves; Savory, summer, dried leaves; Savory, winter, dried leaves; Senna, dried leaves; Siberian fir, dried leaves; Skullcap, dried leaves; Small flower willow head, dried leaves; Sorrel, dried leaves; Sorrel, French, dried leaves; Sorrel, garden, dried leaves; Southernwood, dried leaves; Spearmint, dried leaves; Spearmint, Scotch, dried leaves; Spilanthes, dried leaves; Spotted beebalm, dried leaves; St. John's Wort, dried leaves; Stevia, dried leaves; Stoneroot, dried leaves; Swamp leaf, dried leaves; Tansy, dried leaves; Tarragon, dried leaves; Thuja, dried leaves; Thyme, dried leaves; Thyme, creeping, dried leaves; Thyme, lemon, dried leaves; Thyme, mastic, dried leaves; Toon, Chinese, dried leaves; Toothed clubmoss, dried leaves; Trailing arbutus, dried leaves; Vasaka, dried leaves; Verbena, blue, dried leaves; Veronica, dried leaves; Violet, dried leaves; Watermint, dried leaves; Waterpepper, dried leaves; Wintergreen, dried leaves; Wood betony, dried leaves; Woodruff, dried leaves; Wormwood, dried leaves; Wormwood, Roman, dried leaves; Yarrow, dried leaves; Yellow gentian, dried leaves; Yerba santa, dried leaves; Yomogi, dried leaves; Fennel, Spanish, dried leaves; Marjoram, pot, dried leaves; Wild bergamot, dried leaves; Cultivars, varieties, and hybrids of these commodities.

 (35) *Crop Group 26. Spice Group.*

 (i) *Representative commodities.* Dill seed or Celery seed.

 (ii) *Commodities.* The following Table

3 lists all commodities included in Crop Group 26.

§ 180.41**40 CFR Ch. I (7-1-21 Edition)**

TABLE 1—CROP GROUP 26: SPICE GROUP

Commodities
Ajowan, seed, <i>Trachyspermum ammi</i> (L.) Sprague ex Turrill.
Alder buckhorn, <i>Frangula alnus</i> Mill.
Allspice, <i>Pimenta dioica</i> (L.) Merr.
Ambrette, seed, <i>Abelmoschus esculentus</i> (L.) Moench.
Amla, seed, <i>Phyllanthus amarus</i> Schumach.
Angelica, dahurian, seed, <i>Angelica dahurica</i> (Hoffm.) Benth. & Hook. F. ex Franch. & Sav.
Angelica, seed, <i>Angelica archangelica</i> L.
Angostura, bark, <i>Angostura trifoliata</i> (Willd.) T. S. Elias.
Anise pepper, <i>Zanthoxylum piperitum</i> (L.) DC.
Anise, seed, <i>Pimpinella anisum</i> L.
Anise, star, <i>Illiium verum</i> Hook. f.
Annatto, seed, <i>Bixa orellana</i> L.
Asafoetida, <i>Ferula assa-foetida</i> L.
Ashwagandha, fruit, <i>Withania somnifera</i> (L.) Dunal.
Autumn crocus, <i>Colchicum autumnale</i> L.
Balsam, Peruvian, <i>Myroxylon balsamum</i> (L.) Harms var. <i>pereirae</i> (Royle) Harms.
Barberry, bark, <i>Morella cerifera</i> L.
Batavia-cassia, bark, <i>Cinnamomum burmanni</i> (Nees & T. Nees) Blume.
Batavia-cassia, fruit, <i>Cinnamomum burmanni</i> (Nees & T. Nees) Blume.
Belleric myrobalan, <i>Terminalia bellirica</i> (Gaertn.) Roxb.
Betel vine, <i>Piper betle</i> L.
Birch, bark, <i>Betula</i> spp.
Bisnaga, seed, <i>Ammi visnaga</i> (L.) Lam.
Bitterwood, <i>Picrasma excelsa</i> (Sw.) Planch.
Black bread weed, <i>Nigella arvensis</i> L.
Bloodroot, <i>Sanguinaria canadensis</i> L.
Blue mallee, <i>Eucalyptus polystachya</i> R. T. Baker.
Blushwood, seed, <i>Fontainea picrosperma</i> L.
Boldo, leaf, <i>Peumus boldus</i> Molina.
Buchu, <i>Agathosma betulina</i> (P. J. Bergius) Pillans.
Calamus root, <i>Acorus calamus</i> L.
Candlebush, <i>Senna alata</i> (L.) Roxb.
Canella, bark, <i>Canella winterana</i> (L.) Gaertn.
Caper buds, <i>Capparis spinosa</i> L.
Caper spurge, seed, <i>Euphorbia lathyrus</i> L.
Caraway, black, <i>Nigella sativa</i> L.
Caraway, fruit, <i>Carum carvi</i> L.
Cardamom, black, <i>Amomum</i> spp.
Cardamom, Ethiopian, <i>Aframomum corrorima</i> (A. Braun) P. C. M. Jansen.
Cardamom, green, <i>Elettaria cardamomum</i> (L.) Maton.
Cardamom, Nepal, <i>Amomum subulatum</i> Roxb., <i>A. aromaticum</i> Roxb.
Cardamom-amomum, <i>Amomum compactum</i> Sol. ex Maton.
Cascara sagrada, <i>Frangula purshiana</i> (DC.) A. Gray.
Cassia, bark, <i>Cinnamomum</i> spp.
Cassia, Chinese, bark, <i>Cinnamomum aromaticum</i> Nees.
Cassia, Chinese, fruit, <i>Cinnamomum aromaticum</i> Nees.
Cassia, fruit, <i>Cinnamomum</i> spp.
Cat's claw, bark, <i>Uncaria tomentosa</i> (Willd.) DC., <i>U. guianensis</i> (Aubl.) J. F. Gmel.
Catechu, bark, <i>Senegalia catechu</i> (L.f.) P. J. H. Hurter & Mabb.
Celery, seed, <i>Apium graveolens</i> var. <i>dulce</i> (Mill.) Pers.
Chaste tree, berry, <i>Vitex agnus-castus</i> L.
Chaste tree, Chinese, roots, <i>Vitex negundo</i> L.
Chervil, seed, <i>Anthriscus cerefolium</i> (L.) Hoffm.
Chinese hawthorn, <i>Crataegus pinnatifida</i> Bunge.
Chinese nutmeg tree, <i>Torreya grandis</i> Fortune.
Chinese wineberry, fruit, <i>Aristolochia chilensis</i> (Molina) Stuntz.
Chinese-pepper, <i>Zanthoxylum simulans</i> Hance.
Cinnamon, bark, <i>Cinnamomum verum</i> J. Presl.
Cinnamon, fruit, <i>Cinnamomum verum</i> J. Presl.
Cinnamon, Saigon, bark, <i>Cinnamomum loureiroi</i> Nees.
Cinnamon, Saigon, fruit, <i>Cinnamomum loureiroi</i> Nees.
Clove buds, <i>Syzygium aromaticum</i> (L.) Merr. & L.M. Perry.
Clusterleaf, <i>Terminalia sericea</i> Burch. ex DC.
Comfrey, <i>Symphytum officinale</i> L., <i>Symphytum</i> spp.
Copaiba, <i>Copaifera officinalis</i> (Jacq.) L.
Coptis, <i>Coptis chinensis</i> Franch., <i>Coptis</i> spp.
Coriander, fruit, <i>Coriandrum sativum</i> L.
Coriander, seed, <i>Coriandrum sativum</i> L.
Cotton, bark, <i>Gossypium hirsutum</i> L.
Crampbark, <i>Virburnum opulus</i> L.
Cubeb, seed, <i>Piper cubeba</i> L. f.
Culantro, seed, <i>Eryngium foetidum</i> L.

Environmental Protection Agency
§ 180.41

TABLE 1—CROP GROUP 26: SPICE GROUP—Continued

Commodities
Culvers root, <i>Veronicastrum virginicum</i> .
Cumin, <i>Cuminum cyminum</i> L.
Cumin, black, <i>Bumium persicum</i> (Boiss.) B. Fedtsch.
Dill, seed, <i>Anethum graveolens</i> L.
Dorrigo pepper, berry, <i>Tasmannia stipitata</i> (Vick.) A.C. Smith.
Dorrigo pepper, leaf, <i>Tasmannia stipitata</i> (Vick.) A.C. Smith.
Dragon blood, <i>Croton lechleri</i> Müll. Arg.
Echinacea, seed, <i>Echinacea purpurea</i> (L.) Moench, <i>Echinacea</i> spp.
Epimedium, <i>Epimedium</i> spp.
Eucalyptus, <i>Eucalyptus</i> spp.
Eucommia, bark, <i>Eucommia ulmoides</i> Oliv.
European beech, <i>Fagus sylvatica</i> L.
Felt germander, <i>Teucrium polium</i> L.
Fennel flower, seed, <i>Nigella hispanica</i> L.
Fennel, common, fruit, <i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i> var. <i>vulgare</i> .
Fennel, common, seed, <i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i> var. <i>vulgare</i> .
Fennel, Florence, fruit, <i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i> var. <i>azoricum</i> (Mill.) Thell.
Fennel, Florence, seed, <i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i> var. <i>azoricum</i> (Mill.) Thell.
Fenugreek, seed, <i>Trigonella foenum-graecum</i> L.
Fingerroot, <i>Boesenbergia rotunda</i> (L.) Mansf.
Flame lily, seed, <i>Gloriosa superba</i> L.
Frankincense, <i>Boswellia sacra</i> Flueck.
Frankincense, Indian, <i>Boswellia serrata</i> Roxb. ex Colebr.
Fringetree, bark, <i>Chionanthus virginicus</i> L.
Galbanum, resin, <i>Ferula gummosa</i> Boiss.
Gambooge, <i>Garcinia gummi-gutta</i> (L.) Robson.
Grains of paradise, <i>Aframomum melegueta</i> K. Schum.
Grains of Selim, <i>Xylopia aethiopica</i> (Dunal) A. Rich.
Guaiac, <i>Guaiacum officinale</i> L.
Guarana, <i>Paullinia cupana</i> Kunt.
Guggul, <i>Commiphora wightii</i> (Arn.) Bhandari.
Gum arabic, <i>Senegalia senegal</i> (L.) Britton.
Gum ghatti, <i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Guill. & Perr.
Gum karaya, <i>Sterculia urens</i> Roxb.
Gum tragacanth, <i>Astragalus gummifer</i> Labill.
Haw, black, <i>Viburnum prunifolium</i> L.
Honewort, seed, <i>Cryptotaenia canadensis</i> (L.) DC.
Imperatoria, <i>Peucedanum officinale</i> L.
Indian tobacco, seed, <i>Lobelia inflata</i> L.
Iva, <i>Achillea erba-rotta</i> All. subsp. <i>moschata</i> (Wulfen) I. Richardson.
Jalap, <i>Ipomea purga</i> (Wender.) Hayne.
Jamaica dogwood, bark, <i>Piscidia piscipula</i> (L.) Sarg.
Juniper berry, <i>Juniperus communis</i> L.
Kaffir lime, leaf, <i>Citrus hystrix</i> DC.
Kewra, <i>Pandanus fascicularis</i> Lam.
Kokam, <i>Garcinia indica</i> (Thouars) Choisy.
Linden, leaf, <i>Tilia americana</i> L.
Lovage, seed, <i>Levisticum officinale</i> W.D.J. Koch.
Mace, <i>Myristica fragrans</i> Houtt.
Magnolia, bark, <i>Magnolia officinalis</i> Rehder & E. H. Wilson.
Mahaleb, <i>Prunus mahaleb</i> L.
Malabar cardamom, <i>Amomum villosum</i> Lour.
Malabar-tamarind, <i>Garcinia</i> spp.
Malabathrum, <i>Cinnamomum tamala</i> (Buch-Ham.) Nees & Eberm.
Mastic, <i>Pistacia lentiscus</i> L.
Micromeria, white, <i>Micromeria fruticosa</i> (L.) Druce.
Milk thistle, <i>Silybum marianum</i> (L.) Gaertn.
Moiga, <i>Zingiber mioga</i> (Thunb.) Roscoe.
Miracle fruit, <i>Synsepalum dulcificum</i> (Schumach. & Thonn.) Daniell.
Mistletoe, <i>Viscum album</i> L.
Mojave yucca, <i>Yucca schidigera</i> Roezl ex Ortgies.
Muira puama, <i>Croton echioides</i> Müll. Arg.
Mustard, black, <i>Brassica nigra</i> (L.) W.D.J. Koch.
Mustard, brown, <i>Brassica juncea</i> (L.) Czern. var. <i>juncea</i> .
Mustard, seed, <i>Brassica</i> spp. and <i>Sinapis</i> spp.
Mustard, white, <i>Sinapis alba</i> L. spp. <i>alba</i> .
Myrrh, <i>Commiphora myrrha</i> (Nees) Engl., <i>C. africana</i> (A. Rich.) Engl.
Myrrh, bisabol, <i>Commiphora kataf</i> (Forsk.) Engl.
Myrtle, anise, <i>Syzygium anisatum</i> (Vickery) Craven & Biffen.
Myrtle, leaf, <i>Myrtus communis</i> L.
Myrtle, lemon, <i>Backhousia citriodora</i> F. Muell.
Nasturtium, bush, pods, <i>Tropaeolum minus</i> L.

§ 180.41**40 CFR Ch. I (7-1-21 Edition)**

TABLE 1—CROP GROUP 26: SPICE GROUP—Continued

Commodities
Nasturtium, garden, pods, <i>Tropaeolum majus</i> L.
Nasturtium, pods, <i>Tropaeolum</i> spp.
Nettle, stinging, seed, <i>Urtica dioica</i> L.
Nutmeg, <i>Myristica fragrans</i> Houtt.
Osha, <i>Ligusticum porteri</i> J.M. Coulter & Rose.
Pepper, black, <i>Piper nigrum</i> L.
Pepper, Indian long, <i>Piper longum</i> L.
Pepper, Javanese long, <i>Piper retrofractum</i> Vahl.
Pepper, leaf, <i>Piper auritum</i> Kunth, <i>P. lolot</i> C.D.C., <i>P. sanctum</i> (Miq.) Schlecht., <i>P. umbellatum</i> L.
Pepper, pink, <i>Schinus terebinthifolius</i> Raddi.
Pepper, Sichuan, <i>Zanthoxylum</i> spp.
Pepper, white, <i>Piper nigrum</i> L.
Pepperbush, berry, <i>Tasmannia</i> spp.
Pepperbush, leaf, <i>Tasmannia</i> spp.
Peppercorn, green, <i>Piper nigrum</i> L.
Peppertree, <i>Schinus</i> spp.
Peppertree, Peruvian, <i>Schinus molle</i> L.
Perilla, seed, <i>Perilla frutescens</i> (L.) Britton.
Phellodendron, <i>Phellodendron amurense</i> Rupr.
Pine, maritime, <i>Pinus pinaster</i> Aiton.
Poppy, seed, <i>Papaver somniferum</i> L. subsp. <i>somniferum</i> .
Prickly ash, Chinese, <i>Zanthoxylum bungeanum</i> Maxim.
Prickly ash, Southern, bark, <i>Zanthoxylum clava-herculis</i> L.
Pygeum, <i>Prunus africana</i> (Hook. f.) Kalkman.
Qing hua jiao, <i>Zanthoxylum schinifolium</i> Siebold & Zucc.
Quassia, bark, <i>Quassia amara</i> L., <i>Picrasma excelsa</i> (Sw.) Planch.
Quebracho, bark, <i>Aspidosperma quebracho-blanco</i> Schlecht.
Quillaja, <i>Quillaja saponaria</i> Molina.
Quinine, <i>Cinchona pubescens</i> Vahl, <i>Cinchona</i> spp.
Rauwolfia, bark, <i>Rauwolfia vomitoria</i> Afzel.
Resin spurge, <i>Euphorbia resinifera</i> O. Berg.
Rue, <i>Ruta graveolens</i> L.
Saffron crocus, <i>Crocus sativus</i> L.
Sandalwood, seed, <i>Santalum album</i> L.
Sassafras, bark, <i>Sassafras albidum</i> (Nutt.) Nees.
Sassafras, leaf, <i>Sassafras albidum</i> (Nutt.) Nees.
Saunders, red, <i>Pterocarpus santalinus</i> L. f.
Saw palmetto, <i>Serenoa repens</i> (W. Bartram) Small.
Sesame, seed, <i>Sesamum indicum</i> L., <i>S. radiatum</i> Thonn. ex Hornem.
Silk tree, bark, <i>Albizia julibrissin</i> Durazz., <i>A. lebbeck</i> (L.) Benth.
Simaruba, bark, <i>Simarouba amara</i> Aubl.
Skunk cabbage, root, <i>Symplocarpus foetidus</i> (L.) Salisb. ex W. P. C. Barton.
Slippery elm, <i>Ulmus rubra</i> Muhl.
Stemona, root, <i>Stemona sessilifolia</i> (Miq.) Miq.
Suma, <i>Hebanthe eriantha</i> (Poir.) Pedersen.
Sumac, fragrant, <i>Rhus aromatica</i> Aiton.
Sumac, smooth, leaf, <i>Rhus glabra</i> L.
Taheebo, bark, <i>Handroanthus impetiginosus</i> (Mart. ex DC.) Mattos.
Tamarind, seed, <i>Tamarindus indica</i> L.
Tasmanian pepper, berry, <i>Tasmannia lanceolata</i> (Poir.) A. C. Sm.
Tasmanian pepper, leaf, <i>Tasmannia lanceolata</i> (Poir.) A. C. Sm.
Threeleaf caper, <i>Crataeva magna</i> (Lour.) DC.
Tsaoko, <i>Amomum tsao-ko</i> Crevost & Lemarié.
Vanilla, <i>Vanilla planifolia</i> Jacks.
Wattleseed, <i>Acacia</i> spp.
White willow, <i>Salix alba</i> L.
Willow, <i>Salix</i> spp.
Witch hazel, <i>Hamamelis virginiana</i> L.
Yaw root, <i>Stillingia sylvatica</i> L.
Yellow gentian, roots, <i>Gentiana lutea</i> L.
Yohimbe, <i>Pausinystalia johimbe</i> (K. Schum.) Pierre.
Cultivars, varieties, and hybrids of these commodities.

[60 FR 26635, May 17, 1995, as amended at 72 FR 69156, 69157, Dec. 7, 2007; 73 FR 52, Jan. 2, 2008; 75 FR 76289, Dec. 8, 2010; 77 FR 50620, Aug. 22, 2012; 81 FR 26477, May 3, 2016; 85 FR 70985, Nov. 6, 2020]

Subpart C—Specific Tolerances

EDITORIAL NOTE: Nomenclature changes to subpart C of part 180 appear at 67 FR 41803,